# UNIT STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLIC

(Other instructions onreverse side)

Form approved.
Budget Bureau No. 1004-0136
Expires December 31, 1991

_	LEASE DESIGNATION AND SERIAL NO.
	U-0804

A DDI	ICATION FOR P	FRMIT TO D	RILL OR DEEPEN		6. IF INDIAN, ALLOTTEE OR UINTAH-O	
AFFI	ACATION FOR I	ERMIT TO D	RILL OR DEET EN			
TYPE OF WORK	DRILL X	DEEPEN	]		7. UNIT AGREEMENT NAME WONSITS VA	
TYPE OF WELL	·				FEDERAL	
OIL X	GAS- WELL	OTHER	SINGLE MULTIPI ZONE X ZONE	E $\square$	8. FARM OR LEASE NAME, W WVFU #1	
NAME OF OPERATOR	PRODUCTION CO.				9. API WELL NO.	
CHEVRON USA I	RODUCTION CO.				43-047-5	
ADDRESS AND TELEPH P.O. BOX 455, VE			(801) 781-4300		10. FIELD AND POOL, OR WILL WONSITS VA	ALLEY
LOCATION OF WELL At surface	(Report location clearly and in accord	iance with any State requirem	ents)*		GREEN RI	VER
664.8' FNL, 661.2'	FWL NW/NW				11. SEC.,T., R., M., OR BLOCK OR AREA	AND SURVEY
At proposed prod. zone <b>SAME</b>					S21-T8S-R21E,	SLB&M
DISTANCE IN MILES A	ND DIRECTION FROM NEAREST TO	OWN OR POST OFFICE*			12. COUNTY OR PARISH UINTAH	13. STATE
8.4 MI. FROM OUDISTANCE FROM PRO	POSED*	-	16. NO. OF ACRES IN LEASE		OF ACRES ASSIGNED THIS WELL	
PROPERTY OR LEASE	LINE, FT.		480	101	ihis well	
(Also to nearest drlg. uni		·	19. PROPOSED DEPTH	20. ROT	TARY OR CABLE TOOLS	
	ORILLING, COMPLETED, THIS LEASE, FT. 1426'		5370'		ROTARY	
ELEVATIONS (Show wh	ether DF, RT, GR, etc.)	, e.			22. APPROX. DATE WORK 5/1/9	
		PROPOSED CAS	ING AND CEMENTING PROGR	AM	·	
SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH		QUANTITY OF CEMENT	
12-1/4" 7-7/8"	8-5/8" K-55 5-1/2" K-55	24# 15.5#	360' 5370'	n River Fm	125 SX 282 SX	
12-1/4" 7-7/8"  /e propose to drill an	8-5/8" K-55 5-1/2" K-55	24# 15.5# a 40-acre infill oil prod	360'	n River Fm	125 SX 282 SX	
12-1/4" 7-7/8"  'e propose to drill an or pertinent informaticate.  Attachments:	8-5/8" K-55 5-1/2" K-55 d complete WVFU #119 as a tion on the drilling and surface with Exhibits the Use Plan with Exhibits	24# 15.5# a 40-acre infill oil prod	360' 5370'	n River Fm	125 SX 282 SX	
12-1/4" 7-7/8"  Te propose to drill an or pertinent information of the content of	8-5/8" K-55 5-1/2" K-55 d complete WVFU #119 as a tion on the drilling and surface with Exhibits the Use Plan with Exhibits the tement	24# 15.5#  a 40-acre infill oil produce use plans.	360' 5370' lucer in the G1 Lime of the Green		125 SX 282 SX  282 SX  . Please refer to attachments  cone. If proposal is to drill or deepen d	
12-1/4" 7-7/8"  Te propose to drill an or pertinent information of the content of	8-5/8" K-55 5-1/2" K-55 d complete WVFU #119 as a tion on the drilling and surface with Exhibits the Use Plan with Exhibits tement	24# 15.5#  a 40-acre infill oil produce use plans.	360' 5370' lucer in the G1 Lime of the Green		125 SX 282 SX  Please refer to attachments	
12-1/4" 7-7/8"  Te propose to drill an or pertinent information of the propose to drill an or pertinent information of the pertinent of the proposed for the pertinent data on subsurface before the pertinent	8-5/8" K-55 5-1/2" K-55 d complete WVFU #119 as a tion on the drilling and surfaction on the drilling and surfaction with Exhibits the Use Plan with Exhibits tement	24# 15.5#  a 40-acre infill oil produce use plans.  posal is to deepen, give data co	360' 5370' lucer in the G1 Lime of the Green		125 SX 282 SX  282 SX  Please refer to attachments  one. If proposal is to drill or deepen d	
12-1/4" 7-7/8"  Te propose to drill an or pertinent information of pertinent information of the pertinent surface of the pertinent of the pert	8-5/8" K-55 5-1/2" K-55 d complete WVFU #119 as a tion on the drilling and surfaction on the drilling and surfaction with Exhibits the Use Plan with Exhibits tement	24# 15.5#  a 40-acre infill oil produce use plans.  posal is to deepen, give data co	360' 5370' lucer in the G1 Lime of the Green		125 SX 282 SX  282 SX  Please refer to attachments  one. If proposal is to drill or deepen d	
12-1/4" 7-7/8"  Te propose to drill an or pertinent information pertinent information of the pertinent information of the pertinent of the pertinent of the pertinent of the pertinent data on subsurface in the permit no.	8-5/8" K-55 5-1/2" K-55 d complete WVFU #119 as a tion on the drilling and surfaction on the	24# 15.5#  a 40-acre infill oil produce use plans.  posal is to deepen, give data cleal depths. Give blowout pro	an present productive zone and proposed ne eventer program, if any.	w productive z	125 SX 282 SX  282 SX  Please refer to attachments  cone. If proposal is to drill or deepen d	
12-1/4" 7-7/8"  Te propose to drill an or pertinent information of the propose to drill an or pertinent information of the pertinent information of the pertinent data on subsurface lesigned Plat  ABOVE SPACE DESCRIPTION OF APPROXIMATIONS OF APPRO	8-5/8" K-55 5-1/2" K-55 d complete WVFU #119 as a tion on the drilling and surface Use Plan with Exhibits the Use Plan with Exhib	24# 15.5#  a 40-acre infill oil produce use plans.  posal is to deepen, give data cheal depths. Give blowout products tholds legal or equitable title to the choice of the cheal depths.	an present productive zone and proposed ne eventer program, if any.  APPROVAL DATE	w productive z	125 SX 282 SX  282 SX  Please refer to attachments  The state of the	irectionally, give
12-1/4" 7-7/8"  Te propose to drill an or pertinent information of the propose to drill an or pertinent information of the pertinent information of the pertinent data on subsurface lesigned Plat  ABOVE SPACE DESCRIPTION OF APPROXIMATIONS OF APPRO	8-5/8" K-55 5-1/2" K-55 d complete WVFU #119 as a tion on the drilling and surface use Plan with Exhibits the Use Plan with Exhib	24# 15.5#  a 40-acre infill oil produce use plans.  posal is to deepen, give data cheal depths. Give blowout products tholds legal or equitable title to the choice of the cheal depths.	assistant Dist	w productive z	125 SX 282 SX  282 SX  Please refer to attachments  DATE $2-4-94$ dicant to conduct operations thereon.	irectionally, give

#### [JAN 2 4 1995

memorandum

DATE:

REPLY TO ATTN OF: Superintendent, Uintah & Ouray Agency

SUBJECT:

Concurrence Letter for <u>CHEVRON U.S.A. Inc.</u> ROW-H62-95-84, WVFU# 119, NW1/4 Section 21, T8S.,R21E., SLB&M, Uintah County, Utah.

TO:

Bureau of Land Management, Vernal District Office Attention: Mr. Paul Andrews, Area Manager

Based on available information received on <u>January 24</u>, 1995, we have cleared the proposed location in the following area of environmental impact.

YES_x YES_x_	NO	Listed threatened or endangered species Critical wildlife habitat
YES_x_ YES	NO	Archeological or cultural resources  Air quality aspects (to be used only if
<del> </del>		project is in or adjacent to a Class I area of attainment
YES	NO	Other (if necessary)

REMARKS: Environmental Analysis-6. MITIGATION STIPULATIONS
Strict conformance to Site Specific Environmental Analysis,
attached hereto is required.

Upon completion of construction, please submit an Affidavit of Completion with accompanying Certification so that we may record all pertinent documents at our Southwest Title Plant in Albuquerque, New Mexico.

If you have any question regarding said right-of-way, you may contact Mr. Charles Cameron, Acting Resources Officer or Norman Cambridge, Realty Specialist at (801) 722-2406 Ext. 52/49.

Sincerely

Superintendent

COAs Page 1 of 9 Well No: WVFU 119

## CONDITIONS OF APPROVAL APPLICATION FOR PERMIT TO DRILL

Company/Op	erator: Chevron USA Production Co.
Well Name &	k Number: WVFU 119
API Number	43-047-32461
Lease Number	er: <u>U-0804</u>
Location: _N	WNW Sec. 21 T. 8S R. 21E
	NOTIFICATION REQUIREMENTS
Location Construction -	at least forty-eight (48) hours prior to construction of location and access roads.
Location Completion -	prior to moving on the drilling rig.
Spud Notice -	at least twenty-four (24) hours prior to spudding the well.
Casing String and - Cementing	at least twenty-four (24) hours prior to running casing and cementing all casing strings.
BOP and Related - Equipment Tests	at least twenty-four (24) hours prior to initiating pressure tests.
First Production - Notice	within five (5) business days after new well begins, or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

COAs Page 2 of 9 Well No: WVFU 119

#### CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Orders, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

#### A. DRILLING PROGRAM

## 1. <u>Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered</u>

Report <u>ALL</u> water shows and water-bearing sands to Tim Ingwell of this office. Copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

#### 2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a 2M system and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

If an air compressor is on location and is being utilized to provide air for the drilling medium while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to. If a mist system is being utilized then the requirement for a deduster shall be waived.

The Vernal District Office shall be notified, at least 24 hours prior to initiating the pressure tests, in order to have a BLM representative on location during pressure testing.

COAs Page 3 of 9 Well No: WVFU 119

#### 3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the usable water zone identified at  $\pm$  1079 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

The Vernal District Office shall be notified at least 24 hours prior to the running and cementing of all casing strings, in order to have a BLM representative on location while running and cementing all casing strings.

#### 4. <u>Mud Program and Circulating Medium</u>

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

#### 5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

Submit a field copy of the CBL to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

COAs Page 4 of 9 Well No: WVFU 119

#### 6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The Vernal District Office shall be notified, during regular work hours (7:45 a.m.-4:30 p.m., Monday through Friday except holidays), at least 24 hours **prior** to spudding the well.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

<u>Immediate Report</u>: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

COAs Page 5 of 9 Well No: WVFU 119

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within thirty (30) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

#### 7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and within 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

COAs Page 6 of 9 Well No: WVFU 119

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Ed Forsman (801) 789-7077

Petroleum Engineer

Wayne Bankert (801) 789-4170

Petroleum Engineer

BLM FAX Machine (801) 781-4410

COAs Page 7 of 9 Well No: WVFU 119

#### EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

- Unused fracturing fluids or acids
- Gas plant cooling tower cleaning wastes
- Painting wastes
- Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spend solvents, spilled chemicals, and waste acids
- Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste
- Refinery wastes
- Liquid and solid wastes generated by crude oil and tank bottom reclaimers
- Used equipment lubrication oils
- Waste compressor oil, filters, and blowdown
- Used hydraulic fluids
- Waste solvents
- Waste in transportation pipeline-related pits
- Caustic or acid cleaners
- Boiler cleaning wastes
- Boiler refractory bricks
- Incinerator ash
- Laboratory wastes
- Sanitary wastes
- Pesticide wastes
- Radioactive tracer wastes
- Drums, insulation and miscellaneous solids.

COAs Page 8 of 9 Well No: WVFU 119

#### SURFACE USE PLAN OF OPERATION

Conditions of Approval (COAs)

#### Additional Conditions of Approval

All well site locations on the Uinta and Ouray Indian Reservation will have an appropriate sign indicating the name of the operator, the lease serial number, the well name and number, the survey description of the well (either footages or the quarter-quarter section), the section, township, and range.

As discussed at the on-site, all permanent (on site for six (6) months or longer) structures constructed or installed will be painted a flat, non-reflective earthtone color. All facilities will be painted within six (6) months of installation.

A flare pit and a 4 ft. deep by 100 ft. long trench to set the closed system tank in were discussed at the onsite and are approved for the closed system drilling layout. These were left off the layout diagram.

#### **VEGETATION/LANDSCAPE**

Landscape disturbance cannot be effectively mitigated at this time. However before the site is abandoned, the company will be required to restore the well pad, access roads and pipeline right-of-way to near their original state. The disturbed area will be reseeded with desirable perennial vegetation and the seed will be covered with a weed free organic mulch.

Noxious weeds will be controlled on well sites and rights-of-way. If noxious weeds spread from the well sites or rights-of-way onto adjoining land, the company will also be responsible for their control.

An archaeologist will be present during the construction of this site to monitor for cultural resources.

#### **CULTURAL RESOURCES**

All vehicular traffic, personnel movement, construction and restoration operations should be confined to the flagged areas and corridors, and to the existing roadways and access roads.

All personnel should refrain from collecting artifacts and from disturbing any significant cultural resources in the area.

The Ute Tribal Cultural Rights & Protection Office, the Ute Indian Tribal Energy & Minerals Office or the Bureau of Indian Affairs should be consulted should cultural remains from subsurface deposits be exposed during construction work or if the need arises to relocate or otherwise alter the location of the exploration area.

COAs Page 9 of 9 Well No: WVFU 119

#### SOILS/RANGE/WATERSHEDS

Soil erosion will be mitigated by reseeding all disturbed areas and by installing culverts as needed.

Salt and pollution loading of the soil and geological formations will be mitigated by requiring the oil company to use a closed production system. The emergency pit will be lined with a synthetic liner or a man made container will be used.


Production water, oil, and other by-products will not be applied to roads or well pads for the control of dust or weeds. Indiscriminate dumping of oil field by-products on tribal lands will not be allowed.

When the well is plugged and/or abandoned the gravel and road base hauled in to construct the well pad and access roads will be incorporated into the soil.

#### **CUMULATIVE IMPACTS**

Each additional well drilled for development increases the soil erosion potential, reduces wildlife habitat and grazing, increases potential soil and geologic pollution resulting from salt loading, reduces the soil's potential to recover, and increases the potential of water pollution from produced waters and hydro-carbons. Therefore, strict conformance with the mitigation measures and recommendations in this document is emphasized to minimize the adverse environmental impacts.

# UNION STATES DEPARTMENT OF THE INTERIOR BURGALLOGIAND MANAGEMENT



Form approved. Budget Bureau No. 1004-0136 Expires December 31, 1991

	BUKEAU OF LAIV	DIMANAGEMENT		icvoise sice	, ,			
						5. LEASE	DESIGNATION AND U-0804	
APPLI	CATION FOR PI	ERMIT TO D	RILL OR D	EEPEN		6. IF INDI	AN, ALLOTTEE OR UINTAH-OL	
1a. TYPE OF WORK			_			7. UNIT A	GREEMENT NAME	
	DRILL X	DEEPEN					WONSITS VA	
b TYPE OF WELL							FEDERAL	
WELL X	GAS- WELL C	OTHER	SINGLE	X ZONE		8. FARM	OR LEASE NAME, W WVFU #1	
NAME OF OPERATOR CHEVRON USA PR	ODUCTION CO.					9. API WE	ELL NO.	
ADDRESS AND TELEPHO				801) 781-4300		10. FIELD	AND POOL, OR WILL	
•	eport location clearly and in accorda	nce with any State requirem		901) /91~430C			GREEN RI	
At surface 664.8' FNL, 661.2' F	WL NW/NW				ŀ		, R., M., OR BLOCK	AND SURVEY
At proposed prod. zone SAME						OR AR	ea S21-T8S-R21E,	SLB&M
	DIRECTION FROM NEAREST TO	WN OR POST OFFICE*					NTY OR PARISH	13. STATE
5. DISTANCE FROM PROPE	AY, UTAH		16. NO. OF ACRES	THIFACE	17. NO.O	F ACRES ASSI	UINTAH	UTAH
LOCATION TO NEAREST PROPERTY OR LEASE L	r		10. NO. OF ACKES	IN LEASE		IS WELL	CIVED	
(Also to nearest drig, unit li 8. DISTANCE FROM PROPO	ne, if any) 655,2'		19. PROPOSED DE	480	20 POTA	RY OR CABLE	40	
TO NEAREST WELL, DRI OR APPLIED FOR, ON TH	ILLING, COMPLETED,	·		370'	20. 1011	KT OK OTIDAD	ROTARY	
i. ELEVATIONS (Show wheth 4714.1' GR	er DF, RT, GR, etc.)					22. APP	ROX. DATE WORK V	
		PROPOSED CASI	ING AND CEMEN	TING PROGR	AM			
SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING				Y OF CEMENT	
12-1/4" 7-7/8"	8-5/8" K-55 5-1/2" K-55	24# 15.5#	360 5370				25 SX 32 SX	
	complete WVFU #119 as a on the drilling and surfac		ucer in the G1 Lin	ne of the Gree	n River Fm.		to attachments	
Attachments:		<b>Post-It</b> ™ bra	and fax transmi	ttal memo 7	7671 # of pa		ياد	en A G
Eight-Point Drilling Plan Thirteen-Point Surface V Self-Certification Staten Certified Plat	Use Plan with Exhibits	To Bill	Keifer Juan In	From Co	Shaure 1f-En	a Jen	Sen o I	1 1994
		Dept. Fax # 1-30	3-595-75	Phone :	*1-801-5	538-5	<b>2</b> -0L)	ION OF & MININ(
N ABOVE SPACE DESCRIBE I	PROPOSED PROGRAM: If prope tions and measured and true vertica	sal is to deepen, give data or I depths. Give blowout pre	n present productive zon venter program, if any.	e and proposed ne	w productive zon	e. If proposal is	s to drill or deepen di	rectionally, give
4. SIGNED	Peules	TITLE		Aun		DATE	2-4-94	
(This space for Federal or State	3-047-30	161	APPROVAL DA	APPR	OVER!		SOTATE Balon	
Application approval does no	t warrant or certify that the applicant h	olds legal or equitable title to	those rights in the subjec	t lease which would	entitle the applica	nt to conduct op	erations thereon.	
CONDITIONS OF APPROVA		He .		DATE: BY:	standarda de la composición del composición de la composición de la composición de la composición de la composición del composición de la	CO son maken anyeng	2/15	196
APPROVED BY	PAY	<b>₹</b>	tractions On Pove	WELLS	SPACIN	G		11 -

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

N 1°58 W (5.0)

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER: MY SUPERWOOD WAND THAT THE SAME ARE TRUE AND GORRECT TO THE SET OF MY KNOWLEDGE AND BELIEF.

RECISTRATION NO 3154=

SURVEYED BY: SS ZD DRAWN BY: S STEWART SCALE 1" = 1000' DATE: 7/7/93

LAND SURVEYING, INC. 801-781-2501

S 89°37' W (GLO) S 89°26' W (GLO) W (GLO) BASIS OF BEARINGS WONSITS VALLEY FEDERAL UNIT #119. WELL LOCATION ELEV UNGRADED GROUND 4714.1' W (GLO) S 89°33' W (GLO) S 89°41' W (GLO)

T8S, R21E, S.L.B.&M.

X = SECTION CORNERS LOCATED BASIS OF BEARINGS; G.L.O. PLAT 1967 BASIS OF ELEVATION; U.S.G.S. 71/2 MIN QUAD (OURAY SE) CHEVRON USA

WELL LOCATION, WONSITS VALLEY FEDERAL UNIT #119 LOCATED AS SHOWN IN THE NW 1/4 NW 1/4, SECTION 21, T8S, R21E, S.L.B.&M. UINTAH COUNTY UTAH

FILE | GHU 13

WEATHER: CLEAR & HOT

**United State Department of the Interior Bureau of Land Management Vernal District Office** 170 South 500 West Vernal, UT 84078

#### **SELF-CERTIFICATION STATEMENT**

Be advised that Chevron USA Production Company is considered to be the operator of Wonsits Valley Federal Unit #119 NW/NW-S21-T8S-R21E, Uintah County, Utah, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by Nationwide Bond #U-89-75-81-34 (Standard Oil Co. of California and its wholly owned subsidiary Chevron USA Production Co., as co-principals) via surety consent as provided for in 43 CFR 3104.2.

Sincerely,

J. T. Conley

Red Wash Area Team Leader

2-4-94 <del>(a</del>)

#### CHEVRON USA PRODUCTION CO.

#### WONSITS VALLEY FEDERAL UNIT #119 NW/NW-S21-T8S-R21E UINTAH COUNTY, UTAH

#### **EIGHT POINT DRILLING PLAN**

#### 1. ESTIMATED FORMATION TOPS:

Uinta

Surface

Green River

~2154'

G<sub>1</sub> Lime (objective)

~5209'

## 2. <u>ESTIMATED DEPTHS OF TOP AND BOTTOM OF WATER, OIL, GAS, OR</u> OTHER MINERAL BEARING FORMATIONS AND PLAN FOR PROTECTION:

Oil Shale

~3075-3875'

Oil

~5209-5218'

Protection of oil, gas, water, or other mineral bearing formations shall be accomplished by running production casing to TD and cementing same back to the surface.

#### 3. PRESSURE CONTROL EQUIPMENT:

For drilling surface hole to 360':

No BOP equipment required.

For drilling through 8.625" casing to TD:

Maximum anticipated surface pressure ~1200 psi.

Pressure control equipment shall be in accordance with BLM minimum standards for 2000 psi equipment.

A casing head with an 11", 3000 psi flange shall be welded onto the 8.625" surface casing.

#### WVFU #119 - EIGHT POINT DRILLING PLAN

BOP stack will consist of a double gate preventor and an annular preventor. The double gate will be equipped with pipe rams on bottom and blind rams on top. The choke and kill lines will be connected to outlets between the bottom and top rams, utilizing either the ram body outlets or a drilling spool with side outlets. The BOP stack will be 9" or 11" bore, 2000 psi or 3000 psi working pressure. The choke and kill lines will be 2" or 3" bore, 2000 psi or 3000 psi working pressure. Please refer to attached schematics.

A rotating head will be used while drilling below surface casing for control of gas cut mud.

Test procedure and frequency shall be in accordance with BLM minimum standards for 2000 psi equipment.

#### 4. SUPPLEMENTAL DRILLING EQUIPMENT AND CASING INFORMATION:

Casing	Conn.	New/ Used	Stage Tool	Centralizers
8.625"	STC	New	NA	10' above shoe, on 1st and 3rd collars
5.5"	LTC	New	NA	10' above shoe, on next ten collars, and on every 4th collar to ~300'

Casing Cement - Type, fill and method

8.625" (12-1/4" Hole Size):

Oilfield type circulated in. Class G, single slurry mixed to 15.6 ppg, yield of 1.19 ft<sup>3</sup>/sx. <u>Fill to surface</u> (~125 sx. calc.). Tail plug used. Allowed to set under pressure.

#### WVFU #119 - EIGHT POINT DRILLING PLAN

#### 5.5" (7-7/8" Hole Size):

Oilfield type circulated in. Tail slurry: Class H with pozzolan and additives mixed to 14.2 ppg, yield of 1.29 ft. 3/sx., 400' fill (~55 sx. calc.). Lead slurry: Class A with extender and additives mixed to 11 ppg, yield of 3.82 ft. 3/sx., fill to surface (~227 sx. calc.). Tail plug used. Allowed to set under pressure.

#### **Drilling Equipment:**

Surface hole may be drilled and surface casing set with small rotary surface hole rig.

Rotating head will be used from base of surface casing to total depth.

## 5. <u>CIRCULATING MEDIUM, MUD TYPE, MINIMUM QUANTITIES OF WEIGHT</u> MATERIAL, AND MONITORING EQUIPMENT:

Surface hole will be drilled with air, air/mist, foam, or mud depending on hole conditions. Drilling below surface casing will be with water based drilling fluids consisting primarily of freshwater, bentonite, lignite, caustic, lime, soda ash, and polymers. No chromates will be used. No oil will be used. Maximum anticipated mud weight is ~9.5 ppg.

No minimum quantity of weight material will be required to be kept on location.

PVT/Flow Show will be used from base of surface casing to TD.

Gas detector will be used from base of surface casing to TD.

#### 6. ANTICIPATED TYPE AND AMOUNT OF TESTING, LOGGING, AND CORING:

#### Logging:

Mud logging from base of surface casing to TD. GR-DIL, surface casing shoe to TD. CNL-FDC-GR, surface casing shoe to TD. GR-CBL-CCL, surface to TD.

#### WVFU #119 - EIGHT POINT DRILLING PLAN

^			
Co	<b>F</b> 11	กก	1
		ш	4

None anticipated.

Testing:

None anticipated.

# 7. EXPECTED BOTTOM HOLE PRESSURE AND ANY ANTICIPATED ABNORMAL PRESSURE, TEMPERATURES, OR OTHER HAZARDS (H<sub>2</sub>S, STEAM, ETC.) AND ASSOCIATED CONTINGENCY PLANS:

Maximum expected BHP and BHT:

~2650 psi @ ~140<sup>o</sup> F.

No abnormal hazards are anticipated and no contingency plans are required.


#### 8. OTHER:

None.

# CHEVRON DRILLING REFUENCE SERIES VOLUME ELEVEN WELL CONTROL AND BLOWOUT PREVENTION

#### E. CLASS III BLOWOUT PREVENTER STACK:


The Class III preventer stack is designed for drilling or workover operations. It is composed of a single hydraulically operated annular preventer on top, then a blind ram preventer, a drilling spool, and a single pipe ram preventer on bottom. The choke and kill lines are installed onto the drilling spool and must have a minimum internal diameter of 2". All side outlets on the preventers or drilling spool must be flanged, studded, or clamped. An emergency kill line may be installed on the wellhead. A double ram preventer should only be used when space limitations make it necessary to remove the drilling spool. In these instances. the choke manifold should be connected to a flanged outlet between the preventer rams In this hookup, the pipe rams are oniv. considered master rams only, and cannot be used to routinely circulate out a kick. Class III blowout preventer stack is shown to the right in Figure 11J.4.



#### D. CLASS III CHOKE MANIFOLD

The Class III choke manifold is suitable for Class III workovers and drilling operations. The Standard Class III choke manifold is snown in Figure 11J.8 below. Specific design features of the Class III manifold include:


- 1. The manifold is attached to a drilling spool or the top ram preventer side outlet.
- 2. The minimum internal diameter is 2" (nominal) for outlets, flanges, valves and lines.
- 3. Includes two steel gate valves in the choke line at the drilling spool outlet. The inside choke line valve may be remotely controlled (HCR).
- 4. Includes two manually adjustable chokes which are installed on both side of the manifold cross. Steel isolation gate valves are installed between both chokes and the cross, and also downstream of both chokes.
- 5. Includes a blooey line which runs straight through the cross and is isolated by a steel gate valve.
- 6. Includes a valve isolated pressure gauge suitable for drilling service which can display the casing pressure within view of the cnoke operator.
- 7. Returns through the choke manifold must be divertible through a mud-gas seperator, and then be routed to either the shale snaker or the reserve pit through a buffer tank or manifold arrangement.
- 8. If the choke manifold is remote from the wellhead, a third master valve should be installed immediately upstream of the manifold cross.



#### D. TYPE "B" KILL LINE - CLASS III, IV , AND V WELLS

The type B kill line described below in Figure 11J.11 is the minimum recommended hookup for installation on all Class III. Class IV and Class V wells. Specific design features of the type B kill line include:

- 1. The preferred kill line connection to the well is at the drilling spoot, however, a preventer side outlet may be used when space restrictions exclude the use of a drilling spoot. In all cases, the kill line must be installed below the uppermost blind rams so the well can be pumped into with no pipe in the hole.
- 2 The arrangement includes two 2" (nominal) gate valves installed at the drilling spool and an upstream fluid cross. The outside valve may be hydraulically remote controlled.
- 3. Two pump-in lines should be attached to the fluid cross. The **primary kill line** should be routed to the rig standpipe where it can be manifolded to the rig pumps. The **remote kill line** should be run to a safe location away from the rig or to the rig cementing unit. The remote kill line should have a loose end connection for rigging-up a high pressure pumping unit.
- 4. Both the primary kill line and the remote kill line must include a 2" check valve which is in working condition while drilling. If a check valve is crippled for testing purposes, the flapper or ball must be re-installed and tested before drilling resumes.
- 5. The primary kill line must include a pressure gauge which can display the pump-in pressure on the rig floor.
- 6. Any lines which are installed at the wellhead are designated as "emergency kill lines" and should only be used if the primary and remote kill lines are inoperable.



Rev. 1/1/89

#### CHEVRON USA PRODUCTION CO.

#### WONSITS VALLEY FEDERAL UNIT #119 NW/NW-S21-T8S-R21E

#### **UINTAH COUNTY, UTAH**

#### THIRTEEN POINT SURFACE USE PLAN

#### 1. **EXISTING ROADS**:

- A. See Exhibit A. There are no plans to change, alter or improve upon any existing state or county road.
- B. See Exhibit A. Travel west from Vernal approximately 15 miles on U.S. Highway 40. Turn south on Utah State 88 and proceed approximately 16 miles to Ouray, Utah. Turn left and proceed northeast on existing road approximately 7.8 miles. Turn left and proceed approximately 0.6 miles on existing lease road to proposed new access road.

#### 2. ACCESS ROADS TO BE CONSTRUCTED OR RECONSTRUCTED:

See Exhibit C. The access road and location site are on Ute Tribal lands. A new access road of approximately 0.2 miles is proposed. Construction of the road will be subject to archeological monitoring.

#### 3. LOCATION OF EXISTING WELLS WITHIN ONE MILE:

See Exhibit B.

#### 4. LOCATION OF EXISTING OR PROPOSED FACILITIES:

- A. See Exhibit C.
- B. A pumping unit and flow line approximately 1206' in length to an existing location are planned if the well proves to be productive.
- C. Disturbed areas no longer needed for operations will be graded back to as near original state as possible. Drainage channels will be returned to original state and the areas will be reseeded as prescribed by the BIA.

#### **WVFU #119 - THIRTEEN POINT SURFACE USE PLAN:**

D. A flare pit will be constructed approximately 150' from the center hole. A line will be placed on the surface from the center hole to the burn pit. The pit will be fenced on four sides to protect livestock. A closed mud system will be used and no reserve pit will be constructed.

#### 5. LOCATION AND TYPE OF WATER SUPPLY:

Water from the following sources will be used:

- A. Wonsits Valley Federal Unit water supply wells, 1965 Application #36125.
- B. Water well in Ouray operated by A-1 Tank and Brine, Permit #43-8496.
- C. City water from Ouray provided by and via Ouray Brine's facility in Ouray. No permit.

Transportation of water shall be by tank truck.

#### 6. CONSTRUCTION MATERIALS:

All gravel, cement, etc., needed on the access road and location will come commercially from the Ouray, Utah, area.

#### 7. METHODS FOR HANDLING WASTE DISPOSAL:

- A. A closed mud system with reserve tank is planned.
- B. Drill cuttings will be caught and settled in the reserve tank and spread on location when drilling is completed.
- C. Reserve tank fluid will be disposed of via haul-off to a commercial disposal facility.
- D. Commercial service will provide portable toilets and haul-off to a commercial disposal facility.
- E. Trash will be stored in trash containers and hauled to commercial or municipal facility for disposal.

#### WVFU #119 - THIRTEEN POINT SURFACE USE PLAN:

- F. It is not anticipated that any salt or chemicals will need to be disposed of. If required, disposal will be by commercial disposal facility.
- G. In the event fluids are produced, any oil will be transferred and sold through facilities at WVFU Battery 6. Any water will be transferred to Battery 6 to be injected through the waterflood system.
- H. <u>Hazardous chemicals 10,000 lb. of which will most likely be used, produced, stored, transported or disposed of in association with the proposed action of drilling, completing and producing this well:</u> We anticipate that none of the hazardous chemicals in quantities of 10,000 lb. or more will be associated with these operations.
- I. Extremely hazardous substances threshold quantities of which will be used, produced, stored, transported or disposed of in association with the proposed action of drilling, completing and producing this well: We anticipate that none of the extrememly hazardous substances in threshold quantities per 40 CFR 355 will be associated with these operations.

#### 8. **ANCILLARY FACILITIES**:

None.

#### 9. **WELLSITE LAYOUT**:

- A. See Exhibit D, E and F.
- B. Burn pit will not be lined.
- C. Access to the well pad will be as shown on Exhibit C.

#### 10. PLAN FOR RESTORATION OF SURFACE:

A. All surface areas not required for operations will be graded to as near original condition as possible and contoured to maintain possible erosion to a minimum. Any rock encountered in excavation will be disposed of beneath backfill to return surface to its present appearance and provide soil for seed growth.

#### **WVFU #119 - THIRTEEN POINT SURFACE USE PLAN:**

- B. The topsoil will be evenly distributed over the disturbed areas. Reseeding will be performed as directed by the BIA.
- C. A closed mud system is planned. Pits that would present a hazard to wildlife or livestock will be backfilled when the rig is released and removed.
- D. Completion of the well is planned during 1994. If the wellsite is to be abandoned, all disturbed areas will be recontoured to the natural contour as soon as possible.

#### 11. SURFACE OWNERSHIP:

The wellsite, access roads, flowlines and powerlines are constructed on Ute Tribal land. The operator shall contact the BLM office at (801) 789-1362 and the BIA office at (801) 722-2406 between 24 and 48 hours prior to construction activities.

#### 12. OTHER INFORMATION:

- A. The well is located in hilly and sandy terrain. Vegetation consists of small sagebrush and natural grasses. The soil is a poorly developed, semi-arid, thin topsoil layer over the Uintah Formation.
- B. Surface use activities other than the oil well facilities consist of livestock grazing.
- C. There are no water bodies or occupied dwellings near the wellsite.
- D. An archeological survey has been conducted on the disturbed areas and a copy is on file with the BIA (Senco-Phenix, SP-UT-150, INTENSIVE CULTURAL RESOURCE BLOCK SURVEY AND INVENTORY OF 1520 ACRES IN WONSITS VALLEY, dated 5/26/92, and SP-UT-156, DISCUSSION OF PROPOSED WVFU #119 LOCATION, dated 11/24/93). An onsite with BIA and Ute Tribe representatives was held on 10/20/93.

#### WVFU #119 - THIRTEEN POINT SURFACE USE PLAN

#### 13. <u>COMPANY REPRESENTATIVE</u>:

Mr. J. T. Conley P.O. Box 455 Vernal, UT 84078 (801) 781-4301

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Chevron USA Production Co., Inc. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

2-4-94

Date

J. T. Conley

Red Wash Area Team Leader

Exhibit A and A' - Proposed location and access


Exhibit B - Existing wells within one mile


Exhibit C - Road and flowline ROW survey plat

Exhibit D - Location layout

Exhibit E - Location cut/fill

Exhibit F - Certified Plat








EXHIBIT B



CHE.RON U.S.A. WONSITS VALLET #119


M-P "-"



#### APPLICANT'S CERTIFICATE SURVEYOR'S AFFIDAVIT I. T. CONLEY, do hereby certify that I am the AREA OPS SURV for Chevron U.S.A. hereinalter designated the applicant: that Gene Stewari was subscribed WONSITS VALLEY FEDERAL #119 Cene Slewari, being first duly sworn, deposes and states that he is a Registered Land Surveyor, for Chevron USA: that the survey was made by him (or under his direction). the foregoing affidavil, is employed by the applicant as a Registered Land Surveyor, and that the toregoing attraction, is employed by the applicant as a registered can surveyor, and that he was directed by the applicant to survey the location of an oil/gas well and occess road right-of-way and to prepare this man, that the location of said right-of-way being a total of 1206.02 in length for the combined road and pipeine right-of-way and 2747.39 feet in length for the pipeline right-of-way, and a well location containing .99 acres, is accurately represented PLAT OF SURVEY FOR WELL LOCATION that he has examined the field notes of the survey for a well location pipeline, & occess road right-of-way as described and shown on this plat: that this plat was prepared under his ACCESS ROAD AND PIPELINE direction from said field poles; and that said right-of-ways are 50 feet in width and 1206.02 feet in length and 25 feet in width and 2747.39 feet in length, beginning at station 0+00 and SECTION 21, TOWNSHIP 8 SOUTH, RANGE 21 EAST SALT LAKE & MERIDIAN ending at station 12+06.02 and beginning at station through the ending at station 39+53.41 and a well location containing 0.99 acres is a station through the ending of the point. on this man: that such survey as represented on this map has been adopted by the applicant as the definite location of the right-of-way thereby shown; and that the map has heen prepared to be filled with the Secretary of the Interior or his duly authorized representative as part of the application for said right-of-way to be granted to the applicant, its successors and assigns, with the right to construct, maintain and repair improvments, thereon and thereover, for such purposes, and with the further right in the applicant, its successors REGISTERED LAND SURVEYOR A REGISTATION No. 3154 & MATE STAR STEWN and assians, to transfer this right-of-way by assianment, aront or otherwise. NORTH S 85°44'27" E 89,20 FO1 STA 39+53.41 HEADER AT BATTERY 6 N 6'00'47" [ 233 29'N 4'57'49" [ 281 \s 81°01'37" £ 49.75' USE ROUNDARY DESCRIPTION Beginning at a point which bears \$ 36°24'49" E 975.58 ft from the Northwest corner Section 21. Township 8 South, Range 21 East, Scit Lake and meridian, thence N 00°50'18" E 270.0 ft, Thence S 89°59'42" E 160.0 ft. thence S 00°00'18" W 270.0 ft. thence N 69°53'42" W 160.0 ft to the point of beginning contains 0.99 acres PIPELINE DESCRIPTION A 25 ft right-of-way for and pipeline 12.5 ft right and 12.5 ft left of the following described centerine. Beginning at a point which pears S 67°46'49" E 1986.85 ft from the Northwest corner Section 21. Township & South, Range 21 East, Sail Lake Base and Meridian, thence NW CORNER N 4°31'16" [ 374.18' V 31°25'44" E 240.00 Th. Lo 20°05'70'4" C 1194.70 ft, ihence N 4°11'50" C 270.10 ft, thence N 4°31'16" E 374.18 ft, inence N 6°00'47" E 233.29 ft, thence N 4°57'42" E 281.55 ft, thence SECTION 21 S 85°44'27" E 89.20 ft, thence S 81°01'37" E 49.75 ft, to an existing header of Chevron battery \$6 which bears N 80°55'31" E 3447.22 ft from the Northwest corner said section. Contains 158 ocres more or tess. N 70°43'E! S 86°57'04" E 1194 70 ST4 0+00 WCHSIS VALLEY EXISTING SURFACE LINES FEDERAL UNIT 1119 YELLAY STIEKLAN EELE JAREET 5 39 342 : 55 374 10-03 02 מיים ביים מיים מיים מיים אומיים באובות הביה ב ACCESS ROAD AND PIPELINE DESCRIPTION STARNEY SERVAR A 50 to North-Si-work for occass room and sibeline CS of either side of the roughness decirioed centerline, decimanned at a point on line proposed location site which pears 1 51945/501 E 14TE 7/8.9E LAND SURVEYING, INC. 654-67 if from the Northwest corner section 21, Township & South, Romas II Each, Call Lake Bose and mercial, Thence N 70°45'01" E 109.42 H. Thence D 74°46'46" E 1088 e. Historia 38 WEST 100 YOFTE, VERNAL, GIAH 34073 coordinates the producted occess inductions and the producted proteins continues and continues at the producted profile (1956-55 to than the Northwest opinion and section (Cantains) 801-781-2501


44.1-E 124.24.3

# CHEVRON U.S.A. WELL LAYOUT WONSITS VALLEY FEDERAL #119




SCALE: 1" = 50'





# CLEVIDON U.S.A.

WONSITS VALLEY FEDERAL #119 PLAT #1





### REFERENCE POINTS


150' WEST 4707.1' 200' WEST 4703.9' 175' NORTH 4711.5' 225' NORTH 4710.9'

#### APPROXIMATE YARDAGE

CUT = 884 Cu Yds FILL = 824 Cu Yds







TRI-STATE
LAND SURVEYING. INC.
38 WEST 100 NORTH, VERNAL, UTAH 84078
801-781-2501

## WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 02/11/94	API NO. ASSIGNED: 43-047-32461
WELL NAME: WVFU 119 OPERATOR: CHEVRON USA PRODUCTION CO	(NO210)
PROPOSED LOCATION:  NWNW 21 - T08S - R21E  SURFACE: 0665-FNL-0661-FWL  BOTTOM: 0665-FNL-0661-FWL  UINTAH COUNTY  WONSITS VALLEY FIELD (710)  LEASE TYPE: FED  LEASE NUMBER: U-0804	INSPECT LOCATION BY: / / TECH REVIEW Initials Date Engineering Geology Surface
	R649-2-3. Unit: <u>U7UU3043 X</u> R649-3-2. General. R649-3-3. Exception. Drilling Unit. Board Cause no: Date:
COMMENTS:	
STIPULATIONS:	

#### STATE OF UTAH

Operator: CHEVRON | Well Name: WONTSIS VALLEY #119

Project ID: 43-047-32461 | Location: NWNW SEC. 21 T08S R21

Design Factors: Design Parameters: : 1.125 : 0.494 psi/ft Collapse Mud weight (9.50 ppg) : 1.00 Burst Shut in surface pressure : 2338 psi : 1.80 (1) Internal gradient (burst): 0.058 psi/ft 8 Round : 1.60 (J) Annular gradient (burst) : 0.000 psi/ft **Buttress** : 1.50 (1) Other Tensile load is determined using air weight Body Yield : 1.50 **(B)** Service rating is "Sweet"

	Length (feet)	Size (in.)	Weight (lb/ft)	Grade	e Joir	nt	Depth (feet)	Drift (in.)	Cost
1	5,370	5.500	15.50	K-55	ST&C	2	5,370	4.825	
	Load (psi)	Collapse Strgth (psi)	s.F.	Burst Load (psi)	Min Int Strgth (psi)	Yield S.F.	Load	Tension Strgth (kips)	S.F.
1	2650	4040	1.524	2650	4810	1.82	83.24	222	2.67 J

Prepared by: KMH, Salt Lake City, UT

Date

03-15-1995

Remarks


Minimum segment length for the 5,370 foot well is 1,000 feet.

SICP is based on the ideal gas law, a gas gravity of 0.69, and a mean gas temperature of 101°F (Surface 74°F , BHT 128°F & temp. gradient 1.000°/100 ft.)

The mud gradient and bottom hole pressures (for burst) are 0.494 psi/ft and

2,650 psi, respectively.

NOTE: The design factors used in this casing string design are as shown above. As a general guideline, Lone Star Steel recommends using minimum design factors of 1.125 - Collapse (with evacuated casing), 1.0 - Burst, 1.8 - 8 Round Tension, 1.6 - Buttress Tension, and 1.5 - Body Yield. Collapse strength under axial tension was calculated based on the Westcott, Dunlop and Kemler curve. Engineering responsibility for use of this design will be that of the purchaser. Costs for this design are based on a 1987 pricing model. (Version 1.06)



R 21 E GREEN RIVER DEVELOPMENT WONTSIS VALLEY AND GYPSUM HILLS



# State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt Governor Ted Stewart Executive Director James W. Carter Division Director 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340 801-359-3940 (Fax) 801-538-5319 (TDD)

March 15, 1995

Chevron USA Production Co., Inc. 11002 East 17500 South Vernal, Utah 84078-8526

Re: WVFU #119 Well, 665' FNL, 661' FWL, NW NW, Sec. 21, T. 8 S., R. 21 E.,

Uintah County, Utah

#### Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Admin. R. 649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-32461.

Sincerely,

Associate Director

ldc

**Enclosures** 

cc: Uintah County Assessor

Bureau of Land Management, Vernal District Office

WAPD



Operator:	Chevron	USA Pr	oduction (	Co., Inc	·	******		
Well Name	e & Number:	WVF	TU #119					
API Numb	er: <u>43-04</u>	7-32461						
Lease:	U-0804							
Location:	NW NW	_ Sec	21	_ T	8 S.	_ R	21 E.	

# **Conditions of Approval**

#### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

# 2. Notification Requirements

Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jimmie Thompson at (801)538-5340.

Notify the Division prior to commencing operations to plug and abandon the well. Contact Frank Matthews or Mike Hebertson at (801)538-5340.

# 3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

# DIVISION OF OIL, GAS AND MINING

# SPUDDING INFORMATION

Name of Company: CHEVRON	USA			
Well Name: WONSIT VALLEY	FEDERAL	UNIT 119		
Api No. 43-047-32461				-
Section 21 Township	85	_ Range <u>21E</u>	County	UINTAH
Drilling Contractor				
Rig #	-			
SPUDDED: Date 3/21/95				
Time	-			
How_DRY_HOLE				
Drilling will commence				
Reported by DWH-DOGM				
Telephone #				
Date: 3/24/95	Sic	med:	JLT	

4-18-95 Form 3160-5 FORM APPROVED GE (June 1990) udget Bureau No. 1004-0135 BUREAU OF LAND MANAGEMENT Expires: March 31, 1993 ignation and Serial No. SUNDRY NOTICES AND REPORTS ON U-0804 Do not use this form for proposals to drill or to deepen or reentry Allottee or Tribe Name MINING USE "APPLICATION FOR PERMIT -" For such proposa GAS 8 **Uintah-Ouray** 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE 1. Type of Well Wonsits Valley Federal Unit 8. Well Name and No. ☐ Gas Well ☐ Other X Oil Well 2. Name of Operator WVFU #119 9. API Well No. CHEVRON U.S.A. PRODUCTION CO. 43-047-32461 3. Address and Telephone No. 10. Field and Pool, or Exploratory Area P. O. BOX 4876 ATTN: MARY COHLMIA Wonsits Valley/Green River 11. County or Parish, State HOUSTON, TX 77210 (713) 754-5068 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 664.8' FNL, 661.2' FWL Uintah Co., Utah NW NW Sec. 21-8S-21E, SLB&M CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent ☐ Abandonment ☐ Change of Plans ☐ Recompletion □ New Construction ☐ Subsequent Report ☐ Plugging Back ☐ Non-Routine Fracturing ☐ Casing Repair ☐ Water Shut-off ☐ Altering Casing ☐ Final Abandonment Notice ☐ Conversion to Injection Other ☐ Dispose Water Spud (Note: Report results of multiple completions on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations ( Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\* THE PURPOSE OF THIS SUNDRY IS TO REPORT THE SPUD OF THE ABOVE WELL ON MARCH 21, 1995.

3-BLM VERNAL, 2-UTOGC, DRLG, RANGELY			
14. I hereby certify that the foregoing is true and correct.		<del></del>	
Signed Mary Shlowler	Title: DRILLING TECHNICAL ASSISTANT	Date:	4/11/95
(This space for Federal or State office use)			
Approved by:	Title:	Date:	
Conditions of approval, if any:		_	
Title 18 U. S. C. Section 1001 makes it a crime for any person know	ringly and willfully to make to any department or agency of the I	Jnited States any	false, fictitious or

**ENTITY ACTION FORM - FORM 6** 

OPERATOR ACCT. No.

N0210

OPERATOR: ADDRESS:

**Chevron USA Production Company** 

11002 East 17500 South Vernal, Utah 84078-8526

(801)781-4300

Action Current New **API Number** Well Name QQ SC TP RG County Effective Spud Code Entity No. Entity No. Date Date В 43-047-32648 Gypsum Hills Unit #15 99999 SW%SW% **S20 T8S R21E** Uintah 03/20/95 5355 WELL 1 COMMENTS: Entities added 427-95. Lee Well will be drilled as a unit well for production as part of the Gypsum Hills Secondary Recovery Unit 8 43-047-32649 Gypsum Hills Unit #17 SW4SE4 5355 **S20** TBS **R21E Uintah** 04/13/95 WELL 2 COMMENTS: Well will be drilled as a unit well for production as part of the Gypsum Hills Secondary Recovery Unit В 43-047-32650 Gypsum Hills Unit #18 SE14SE14 **S20** 5355 **T8S** R21E Uintah 04/12/95 WELL 3 COMMENTS: Well will be drilled as a unit well for production as part of the Gypsum Hills Secondary Recovery Unit B 43-047-32461 WVFU #119 NWWNWW 5265 **S21** T8S **R21E Uintah** 03/21/95 WELL 4 COMMENTS: Well will be drilled as a unit well for production as part of the Wonsits Valley Federal Unit В 43-047-32462 WVFU #120 NE%NW% 52/5 **S22 T8S R21E** Uintah 03/23/95 WELL 5 COMMENTS: Well will be drilled as a unit well for production as part of the Wonsits Valley Federal Unit ACTION CODES (See instructions on back of form) A - Establish new entity for new well (single well only)

B - Add new well to existing entity (group or unit well)

C - Re-assign well from one existing entity to another existing entity

D - Re-assign well from one existing entity to a new entity

E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected

DIVISION OF OIL, GAS & MINING

APR 27 1995

Signature

**Asset Team Leader** Title

Phone No. (801) 781-4300

(3/89)

**ENTITY ACTION FORM - FORM 6** 

OPERATOR ACCT. No. 10210

OPERATOR:

**Chevron USA Production Company** 

ADDRESS:

11002 East 17500 South

Vernal, Utah 84078-8526

(801)781-4300

						,		· · ·			•	
Action Code	Current Entity No.	New Entity No.	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date	
В	99999	5670	43-047-32629	Red Wash Unit #306	NE%SW%	S23	178	R24E	Uintah	03/06/95		
WELL 1 COMMENTS: Well drilled as part of the Green River Participating Area within the Red Wash Unit  End; this added 4-27-95. Lec												
В	99999	5670	43-047-32632	Red Wash Unit #307	SW%SW%	S16	T7S	R24E	Uintah	03/07/95	***************************************	
	COMMENT		River Particpatin	g Area within the Red V	Yash Unit				•		NAME OF THE OWNER OWNER OF THE OWNER OWNE	
В	99999	56%	43-047-32627	Red Wash Unit #308	SE%SW%	S28	T7S	R24E	Uintah	03/16/95	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
	COMMENT illed as part		River Particpatin	g Area within the Red V	Yash Unit				<u> </u>			
В	99999	5670	43-047-32595	Red Wash Unit #312	SW4NE4	534	178	R24E	Uintah	03/10/95		
	COMMENT illed as part		River Particpatin	g Area within the Red V	Yash Unit	· · · · · · · · · · · · · · · · · · ·	L	1	1			
В	99999	5670	43-047-32630	Red Wash Unit #313	NE%SW%	\$20	T7S	R24E	Uintah	04/07/95		
	COMMENT		River Particpatin	g Area within the Red Y	Yash Unit		I	1	<b>I</b>	1		

# ACTION CODES (See instructions on back of form)

- A Establish new entity for new well (single well only)
- B Add new well to existing entity (group or unit well)
- C Re-assign well from one existing entity to another existing entity
- D Re-assign well from one existing entity to a new entitty
- E Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected

**DIVISION OF** OIL, GAS & MINING

APR 27 1995

Signature

**Asset Team Leader** 

Title

Phone No. (801) 781-4300

(3/89)

**ENTITY ACTION FORM - FORM 6** 

OPERATOR ACCT, No.

OPERATOR:

**Chevron USA Production Company** 

ADDRESS:

Vernal, Utah 84078-8526

11002 East 17500 South

(801)781-4300

Action Code	Current Entity No.	New Entity No.	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date
В	99999	56%	43-047-32626	Red Wash Unit #314	SE%SW%	S29	175	R24E	Uintah	04/08/95	Date
	COMMENT lled as part		n River Participat	ing Area within the Red Wa	sh Unit	Er	itithes a	dded 4-2	7-95, Ju	<del></del>	
В	99999	5355	43-047-32459	Gypsum Hills Unit #11	NW/4SE%	S20	T8S	R21E	Uintah	03/19/95	
	COMMENT I be drilled		ll for production	as part of the Gypsum Hills	Secondary Ro	ecovery U	nit	<u> </u>		1	
В	99999	5355	43-047-32458	Gypsum Hills Unit #12	NE4SE4	S19	T8S	R21E	Uintah	03/10/95	
Well wi	COMMENT If be drilled			part of the Gypsum Hills S							
В	99999	5355	43-047-32460	Gypsum Hills Unit #13	NE'4SW'4	S21	TBS	R21E	Uintah	04/10/95	
	COMMENT ill be drilled		ell for production	as part of the Gypsum Hill	s Secondary R	lecovery U	init	·J. · · · · · · · · · · · · · · · · · ·	<u> </u>		L
В	99999	5355	43-047-32647	Gypsum Hills Unit #14	NW%SW%	S20	T8S	R21E	Uintah	03/17/95	
	COMMENT		11.6	4.44			<u> </u>	<u> </u>	J	L.	<u> </u>
				as part of the Gypsum Hills	Secondary R	ecovery U	nit				
	A - Establish B - Add new	new entity to well to exist	ins on back of form for new well (single ting entity (group or	well only) unit well)			,		Is to	des	
	C - Re-assign	gn well from a	one existing entity one existing entity	to another existing entity	はいる	W 100 11		Signal	ure		

E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected

APR 27 1995

(3/89)

DIVISION OF OIL, GAS & MININ' **Asset Team Leader** Title

Phone No. (801) 781-4300

Form 3160-5 (June 1990) UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMEN

ADD 2 7 1005

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

U-0804

ase Designation and Serial No.

# SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different released & MINING

Use "APPLICATION FOR PERMIT--" for such proposals

Indian, Allottee or Tribe Name

SUBM	IT IN TRIPLICATE	7. If Unit or CA, Agreement Designation
ype of Well		WONSITS VALLEY FED. UI
Oil Gas		
X Well Well Other		8. Well Name and No.
<u> </u>		WVFU #119
ame of Operator		a ADVIV II AV
CHEVRON U.S.A. PRODUCTION COMPANY		9. API Well No.
Address and Telephone No.	0.000 (0.04) 0.04 (0.00	43-047-32461  10. Field and Pool, or Exploratory Area
1002 EAST 17500 SOUTH, VERNAL, UT 84078	3-8526 (801) 781-4302	· · · ·
ocation of Well (Footage, Sec., T., R., M., or Survey Description)		Wonsits Valley-Grn. River
		11. County or Parish, State
65' FNL, 661' FWL, SEC. 21, T8S/R21E, NW/N	W	UINTAH, UTAH
		•
CHECK APPROPRIATE B	OX(s) TO INDICATE NATURE OF NOTIC	E, REPORT, OR OTHER DATA
CHECK APPROPRIATE B		E, REPORT, OR OTHER DATA  OF ACTION
TYPE OF SUBMISSION	ТҮРЕ (	DF ACTION
TYPE OF SUBMISSION	TYPE (	OF ACTION  Change of Plans
TYPE OF SUBMISSION  Notice of Intent	TYPE ( Abandonment Recompletion	Change of Plans  New Construction
TYPE OF SUBMISSION  Notice of Intent	Abandonment  Recompletion  Plugging Back	Change of Plans  New Construction  Non-Routine Fracturing
TYPE OF SUBMISSION  Notice of Intent  X Subsequent Report	Abandonment  Recompletion  Plugging Back  Casing Repair	Change of Plans  New Construction  Non-Routine Fracturing  Water Shut-Off

Subject well has commenced production effective 4/20/95. All produced fluids are piped to Wonsits Valley Battery 6 and measured by the existing facilities.

			· .	
14. I hereby certify har the foregoing is true and correct. Signed	Title	Operations Assistant	Date	4/24/95
(This space for Federal or State office use)				
Approved by:	Title		Date	
Conditions of approval, if any	<del></del>			
Title 18 U.S.C. Section 1001, makes it a crime for any persor representations as to any matter within its jurisdiction.	on knowingly and willfully to make	e to any department or agency of the United State	s any false, fictitious or fraudulent state	ments or

Form 3160-4 Form approved. (November 1983) SUBMIT IN DUPLI UNI7 STATES Budget Bureau No. 1004-0137 (tormerly 9-330) DEPARTMENT OF THE INTERIOR Expires August 31, 1985 **BUREAU OF LAND MANAGEMENT** structions on revérse side). LEASE DESIGNATION AND SERIAL NO MAY 1 0 1995 U-0804 IF INDIAN, ALLOTTEE OR TRIBE NAME WELL COMPLETION OR RECOMPLETION REPORT AND LOG \* 1a. TYPE OF WELL OIL GAS UNIT AGREEMENT NAME WELL X WELL. DRY Other WONSITS VALLEY FEDERAL UNIT TYPE OF COMPLETION NEW WORK DEEP-PLUG DIFF FARM OR LEASE NAME WELL X OVER EN BACK RESVR Other WONSITS VALLEY NAME OF OPERATOR WELL NO CHEVRON U.S.A. PRODUCTION COMPANY WVFU #119 ADDRESS OF OPERATOR FIELD AND POOL, OR WILDCAT 11002 E. 17500 S. VERNAL, UT 84078-8526 WONSITS VALLEY-GREEN RIVER LOCATION OF WELL (Report location clearly and in accordance with any State requirements) At surface 665' FNL, 661' FWL 11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA At top rod. interval reported below SEC. 21, T8S/R21E At total depth PERMIT NO. DATE ISSUED COUNTY OR STATE PARISH 43-047-32461 3/15/95 UINTAH UTAH 17. DATE COMPL. (Ready to prod.) DATE SPUDDED 16. DATE T.D. REACHED 18. ELEVATIONS (DF, RKB, RT, GR, ETC.) 19. ELEV. CASINGHEAD 4/13/95 3/21/95 4/5/95 4730' KB 4714' 20. TOTAL DEPTH, MD & TVD 21. PLUG BACK T.D., MD & TVD 22. IF MULTIPLE COMPL., 23. INTERVALS ROTARY TOOLS CABLE TOOLS HOW MANY DRILLED BY 5330 N/A NO 24. PRODUCING INTERVAL(S), OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD) WAS DIRECTIONAL SURVEY MADE **GREEN RIVER** 5222-5230' NO **FORMATION** TYPE ELECTRIC AND OTHER LOGS RUN
DIL, GR, SONIC, CALIPER, DENSITY, NEUTRON, CBL, CCL 4-17-95 27. WAS WELL CORED NO CASING RECORD (Report all strings set in well) CASING SIZE WEIGHT, LB/FT HOLE SIZE CEMENTING RECORD AMOUNT PULLED 8 5/8 24# 395 12 1/4" 190 SX. CLASS G 5 1/2" 15.5# 5384 7 7/8" LEAD: 425 SX. HI-FILL STANDARD (11 PPG, 3.82 CUFT./SX.) TAIL:85 SX. CLASS A (14.8 PPG, 1.34 CUFT./SX.) LINER RECORD 30. TUBING RECORD SIZE TOP (MD) BOTTOM (MD) SACKS CEMENT\* SCREEN (MD) SIZE DEPTH SET (MD) PACKER SET (MD) N/A 2 7/8" 5310' N/A 31. PERFORATION RECORD (Interval, size and number) FRACTURE, CEMENT SQUEEZE, ETC ACID, SHOT 5222-5230' 4 JSPF DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED 5222-5230 20,000 GALS. 28% HCL DATE FIRST PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumping-size and type of pump) WELL STATUS (Producing or **ROD PUMP** 1 3/4" PRODUCING 4/20/95 DATE OF TEST HOURS TESTED CHOKE SIZE PROD'N FOR OIL-BBL GAS--MCF WATER-BBI. GAS-OIL RATIO TEST PERIOD 980 SCF/BBL. 600 4/23/95 N/A 612 FLOW, TUBING PRESS. CASING PRESSURE CALCULATED OIL--BBL GAS-MC WATER-BBL OIL GRAVITY-API (CORR.) 24-HOUR RATE N/A N/A 612 600 20 29 34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc., TEST WITNESSED BY REED STANLEY **FUEL** LIST OF ATTACHMENTS NONE 36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

50V/c/husm

**SIGNED** 

TITLE

PETROLEUM ENGINEER

DATE

5/8/95

-	TRUE	VEKI, DEPIH			)		<b>*</b>
	TOP MEAS, DEPTH	2166°					
	NAME	GREEN RIVER					
FORMATION TOP BOTTOM DESCRIPTION CONTENTS ETC	DESCRIPTION, CONTENTS, ETC.	NO DST'S OIL					
BOTTOM		5235° I	-		,	, , <u>-                                 </u>	
TOP		5220° 5					
FORMATION		GREEN RIVER GI LIME GI SAND					

# EQUIPMENT INVENTORY UTAH DIVISION OF OIL, GAS AND MINING STATE OF UTAH

Operator: CHEVRON USA INC. Lease: State: Federal: X	Indian: Fee:
Well Name: WONSITS VALLEY FEDERAL UNIT #119 API Numb	er: <u>43-047-32461</u>
Section: 21 Township: 85 Range: 21E County: UINTAH Fiel	d: WONSITS VALLEY
Well Status: POW Well Type: Oil: X Gas:	
PRODUCTION LEASE EQUIPMENT: (NUMBER)	
Boiler(s): Compressor(s): Separator(s): [	ehydrator(s):
Shed(s): Line Heater(s):1 Heated Separator	(s): VRU:
Heater Treater(s):	
PUMPS:	
Triplex: Chemical: 1 Centrifugal: 1	
LIFT METHOD:	
Pumpjack: X Hydraulic: Submersible:	Flowing:
GAS EQUIPMENT: (NUMBER)	
Purchase Meter: 0 Sales Meter: 0	
TANKS: NUMBER SIZE	
Oil Storage Tank(s):	BBLS
Water Tank(s):	BBLS
Power Water Tank:	BBLS
Condensate Tank(s):	BBLS
Propane Tank:	
Central Battery Location: (IF APPLICABLE)	
Otr/Otr: Section: 21 Township: 8S Range: 21E	
REMARKS: EMULSION LINE LEAVES LOCATION AND GOES TO WONSD BATTERY. CASINGHEAD GAS GOES INTO EMULSION LINE. FUEL GA CENTRAL BATTERY.	ITS VALLEY CENTRAL AS COMES BACK FROM
Inspector: DAVID W. HACKFORD Date: 7/7/95	

43-047-32650 WUFU #1/9 Cheuron North Access Wellhead Gas powered pump Tack Emdsion Line -

Tup Soil (June 1990)

**UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEME

FORM APPROVED

Budget Bureau No. 1004-0135 Expires: March 31, 1993

Lease Designation and Serial No.

**VARIOUS** 

SUNDRY NOTICES AND REPORTS ON TO SUNDRY NOTICES AND REPORTS	CAS	1
SUNDRY NOTICES AND REPORTS ON THE PROPERTY OF A DIFFERENCE OF THE PROPERTY OF	SEYOF & MINI	NG

Use "APPLICAT]	ION FOR PERMIT" for such proposals	5. If Indian, Allottee or Tribe Name
	T 1	
SUBMI	7. If Unit or CA, Agreement Designation	
I. Type of Well		
Oil Gas	,	
Well Well X Other OTHER		8. Well Name and No.
		SEE BELOW
2. Name of Operator		9. API Well No. (13 A(13 3)4/
CHEVRON U.S.A. PRODUCTION COMPANY		
<ol> <li>Address and Telephone No.</li> <li>11002 E. 17500 S., VERNAL, UT 84078-8526 (80</li> </ol>	1) 781-4300	SEE BELOW  10. Field and Pool, or Exploratory Area
Location of Well (Footage, Sec., T., R., M., or Survey Description)	1) /81-4300	Total and Foot, or Employably Files
b. Location of Well (Lociage, Sec., 1., 1., 11., of Survey Description)		11. County or Parish, State
CPE DELOW		UINTAH, UTAH
SEE BELOW		ontan, oran
2. CHECK APPROPRIATE BO	OX(s) TO INDICATE NATURE OF NOTICE, RE	PORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACT	
X Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other INSTALL ANODE BEDS	Dispose Water
	_	(Note) Report results of multiple completion on Well

We request approval to install casing cathodic protection anode beds as follows:

- Drill 8" diameter holes 250' deep. Each hole will be loaded with 8 2.2" x 7' anodes.
- Dig a 6" x 12" ditch to connect the anodes to a power source.

This sundry notice supersedes a similar anode bed sundry notice dated March 3, 1994 that was not acted upon. Since well statuses have changed recently we felt it necessary to resubmit a new sundry.

See attached for proposed anode bed locations.

Accepted by the Accepted by the Utah Division of ONLY

14. I hereby certify that the foregoing is rue and correct. Signed The Management	Title	Corrosion Representative	- FOR BEGO	12/04/95
(This space for Federal or State office use)				
Approved by:	Title		Date	
Conditions of approval, if any				
Title 18 U.S.C. Section 1001, makes it a crime for any person know	ngly and willfully to make to	o any department or agency of the United St	ates any false, fictitious or fraudulent sta	tements or

representations as to any matter within its jurisdiction.

# **Proposed Anode Bed Locations**

WV #32	ML-2237	43-047-16513	666' FNL, 1997' FWL, SEC. 16, T8S/R21E
WV #34	U-0806	43-047-15462	2092' FNL, 682' FWL, SEC. 11, T8S/R21E
WV #40-2	U-0806	43-047-31798	1926' FSL, 661' FEL, SEC. 10, T8S/R21E
WV #50	U-0807	43-047-15477	1986' FNL, 1990' FEL, SEC. 15, T8S/R21E
WV #59	U-0807	43-047-20018	1986' FNL; 660' FWL, SEC. 14, T8S/R21E
WV #72	U-2237A	43-047-20058	660' FSL, 660' FWL, SEC. 16, T8S/R21E
WV #78	ML-2237	43-047-20 55	1980' FSL, 1980' FWL, SEC. 16, T8S/R21E
WV #103	U-0807	43-047-30021	712' FNL, 664' FWL, SEC. 14, T8S/R21E
WV #110	U-0807	43-047-30046	1990' FNL, 1992' FWL, SEC. 14, T8S/R21E
WV #119	U-0804	43-047-32461	665' FNL, 661' FWL, SEC. 21, T8S/R21E
WV #120	U-0804	43-047-32462	561' FNL, 1906' FWL, SEC. 22, T8S/R21E
WV #137	U-0806	43-047-31523	1995' FNL, 1987' FWL, SEC. 11, T8S/R21E
WV #143	U-0806	43-047-31808	1858' FSL, 2050' FEL, SEC. 10, T8S/R21E
COSTAS 5	U-0804	43-047-31827	1874' FNL, 1255' FEL, SEC. 21, T8S/R21E
WV #133	U-0807	43-047-31706	616' FSL, 1892' FWL, SEC. 15, T8S/R21E
GH #3	U-0140740	43-047-20002	660' FNL, 660' FEL, SEC. 20, T8S/R21E
GH #6	U-0140740	43-047-30099	643' FNL, 1983' FWL, SEC. 20, T8S/R21E
GH #8	U-0140740	43-047-31932	1906' FNL, 1978' FEL, SEC. 20, T8S/R21E
GH #11	U-0140740	43-047-32459	2042' FEL, 2089' FSL, SEC. 20, T8S/R21E
GH #12	U-0140740	43-047-32458	2009' FSL, 666' FEL, SEC. 19, T8S/R21E
GH #13	U-0140740	43-047 <b>-3</b> 2460	2009' FSL, 1837' FWL, SEC. 21, T8S/R21E
SC 23-21	U-025960	43-047-31541	1980' FSL, 660' FWL, SEC. 21, T8S/R21E

# **UNITED STATES** ARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED

Budget Bureau No. 1004-0135 Expires: March 31, 1993

Lease Designation and Serial No.

# SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir

	or to deepen greening to a unicient reservoir	
Use "APPLICA	ATION FOR PERMIT" for such proposals	6. If Indian, Allottee or Tribe Name
		N/A
SUB	MIT IN TRIPLICATE	7. If Unit or CA, Agreement Designation
I. Type of Well		Wonsits Valley Federal U
Oil Gas	•	14-08-001-8482
Well Well Y Other MULT	IPLE WELLS SEE ATTACHED LIST	8. Well Name and No.
	· · · · · · · · · · · · · · · · · · ·	
2. Name of Operator		·
CHEVRON U.S.A. INC.		9. API Well No.
3. Address and Telephone No.		
11002 E. 17500 S. VERNAL, UT 84078-8526	(801	781-430 10. Field and Poot, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description	<u> </u>	Wonsits Valley - Green Ri
		11. County or Parish, State
		UINTAH, UTAH
•		Oliviali, Otali
CHECK APPROPRIATE	BOX(s) TO INDICATE NATURE OF NOTICE, RE	EPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACT	LION
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
X Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other CHANGE OF OPERATOR	Dispose Water
		(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form)
3. Describe Proposed or Completed Operations (Clearly state all pertin	nent details, and give pertinent dates, including estimated date of starting any proposed w	vork. If well is directionally drilled,
give subsurface locations and measured and true vertical depths for	all markers and zones pertinent to this work)	
As of January 1, 2000 Chevron U.S.A. Inc. resigns		
The Unit number is 14-08-001-8482 effective Nove	mber 23, 1962.	

The successor operator under the Unit Agreement will be Shenandoah Energy Inc. 475 17<sup>th</sup> Street, Suite 1000 Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

RECEIVED

OEC 3 8 1999

DIVISION OF OIL, GAS & MINING

She	nandog	h Energy Inc.	1
By:	M	MLL	たし、上
	Mitche	l <b>k</b> L. Solich	•
	Preside	ent	

14. I hereby certify that the foregoing is true and correct.  Signed A. E. Wacker Q. E. Wacker	Title	Assistant Secretary	Date	12/29/99	
(This space for Federal or State office use)					
Approved by:	Title		Date		
Conditions of approval, if any					

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



# United States Department of the Interior

# **BUREAU OF LAND MANAGEMENT**

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

# RECEIVED

FEB 0 7 2000

DIVISION OF OIL, GAS AND MINING

IN REPLY REFER TO UT-931

February 4, 2000

Shenandoah Energy Inc. Attn: Rae Cusimano 475 17<sup>th</sup> Street, Suite 1000 Denver, Colorado 80202

Re:

Wonsits Valley Unit Uintah County, Utah

#### Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

#### Enclosure

CC:

Chevron U.S.A. Inc.

bcc:

Field Manager - Vernal (w/enclosure)

Division of Oil, Gas & Mining

Minerals Adjudication Group U-932
File - Wonsits Valley Unit (w/enclosure)
MMS - Data Management Division

Agr. Sec. Chron

Fluid Chron

UT931:TAThompson:tt:2/4/00

Weli	Lease	API Number	Status	Type
Wonsits Valley Federal Unit 9	U-0806	43-047-15440	TA	· INJ
Wonsits Valley Federal Unit 16	U-0807	43-047-15447	A	INJ
Wonsits Valley Federal Unit 21	ML-2237	43-047-15452	Α	INJ
Wonsits Valley Federal Unit 28-2	U-0806	43-047-31524	Α	INJ
Wonsits Valley Federal Unit 31	U-0807	43-047-15460	Α	INJ
Wonsits Valley Federal Unit 32	ML-2237	43-047-16513	Α	OIL
Wonsits Valley Federal Unit 35	U-0807	43-047-15463	A	INJ
Wonsits Valley Federal Unit 36	U-0806	43-047-15464	Α	INJ
Wonsits Valley Federal Unit 40-2	U-0806	43-047-31798	Α	INJ
Wonsits Valley Federal Unit 41	U-0807	43-047-15469	Α	INJ
Wonsits Valley Federal Unit 43	U-0806	43-047-15471	Α	OIL
Wonsits Valley Federal Unit 48	U-0806	43-047-15476	Α	OIL
Wonsits Valley Federal Unit 50	U-0807	43-047-15477	A	INJ
Wonsits Valley Federal Unit 53	U-0806	43-047-20003	Α	OIL
Wonsits Valley Federal Unit 55	U-0807	43-047-20005	Α	OIL
Wonsits Valley Federal Unit 59	U-0807	43-047-20018	Α	INJ
Wonsits Valley Federal Unit 62	U-0806	43-047-20024	Α	OIL
Wonsits Valley Federal Unit 65	U-0807	43-047-20041	Α	OIL
Wonsits Valley Federal Unit 67	U-0807	43-047-20043	Α	"INJ
Wonsits Valley Federal Unit 68	U-0807	43-047-20047	Α	INJ
Wonsits Valley Federal Unit 71-2	U-0807	43-047-32449	Α	INJ
Wonsits Valley Federal Unit 72	ML-2237A	43-047-20058	Α	INJ
Wonsits Valley Federal Unit 73	ML-2237	43-047-20066	Α	INJ
Wonsits Valley Federal Unit 74	ML-2237	43-047-20078	Α	OIL
Wonsits Valley Federal Unit 75	ML-2237	43-047-20085	A	OIL
Wonsits Valley Federal Unit 78	ML-2237	43-047-20115	Α	INJ
Wonsits Valley Federal Unit 97	U-0806	43-047-30014	Α	INJ
Wonsits Valley Federal Unit 103	U-0807	43-047-30021	Α	OIL
Wonsits Valley Federal Unit 104	U-0807	43-047-30022	Α	OIL
Wonsits Valley Federal Unit 105	U-0806	43-047-30023	Α	OIL
Wonsits Valley Federal Unit 109	U-0807	43-047-30045	Α	OIL
Wonsits Valley Federal Unit 110	U-0807	43-047-30046	Α	OIL
Wonsits Valley Federal Unit 112	U-0807	43-047-30048	A	OIL
Wonsits Valley Federal Unit 119	U-0804	43-047-32461	Α	OIL
Wonsits Valley Federal Unit 120	U-0804	43-047-32462	Α	INJ
Wonsits Valley Federal Unit 121	U-0807	43-047-31873	A	OIL
Wonsits Valley Federal Unit 124	U-0807	43-047-30745	Α	OIL
Wonsits Valley Federal Unit 126	U-0804	43-047-30796	Α	INJ
Wonsits Valley Federal Unit 127	STATE	43-047-31611	Α	OIL
Wonsits Valley Federal Unit 128	U-0806	43-047-30798	Α	OIL
Wonsits Valley Federal Unit 130	U-0804	43-047-32307	Α	OIL
Wonsits Valley Federal Unit 132	U-0807	43-047-30822	A	OIL
Wonsits Valley Federal Unit 133	U-0807	43-047-31706	Α	OIL
Wonsits Valley Federal Unit 134	ML-2237	43-047-31118	Α	OIL
Wonsits Valley Federal Unit 135-2	U-0804	43-047-32016	<del></del>	OIL
Wonsits Valley Federal Unit 136	U-0804	43-047-31047	Α	OIL
Wonsits Valley Federal Unit 137	U-0806	43-047-31523	Α	OIL
Wonsits Valley Federal Unit 140	U-0807	43-047-31707	· · · · · · · · · · · · · · · · · · ·	INJ
Wonsits Valley Federal Unit 141	ML-2237	43-047-31609	Α	OIL

# **UNITED STATES** ARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

FORM	APPROVED
------	----------

Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

#### U-0804

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir Use "APPLICATION FOR PERMIT--" for such proposals

6. If Indian, Allottee or Tribe Name

	SUBM	7. If Unit or CA, Agreement Designation	
l.	Type of Well		Wonsits Valley Federal Unit
	Oil Gas		·
	X Well Well Other		8. Well Name and No.
2.	Name of Operator		Wonsits Valley Federal Unit 119
۷.	CHEVRON USA INC		9. API Well No.
3.	Address and Telephone No.		1
J.	•		43-047-32461
	11002 E. 17500 S. VERNAL, UT 84078-8526	(801) 781-4306	10. Field and Pool, or Exploratory Area
4.	Location of Well (Footage, Sec., T., R., M., or Survey Description)		Wonsits Valley - Wasatch
	0665 FWL	21	11. County or Parish, State
	Obb5 1 <del>992!</del> FNL & 661" <del>FEL (SE NE)</del> SECTION Number	┽♠, T8S, R21E SLBM	UINTAH, UTAH
12.	CHECK APPROPRIATE B	OX(s) TO INDICATE NATURE OF NOTICE, REPORT,	OR OTHER DATA
		I INDICATE NATURE OF NOTICE, REPORT,	OR OTHER DATA
	TYPE OF SUBMISSION	TYPE OF ACTION	
	Notice of Intent	Abandonment	Change of Plans
		Recompletion	New Construction
	X Subsequent Report	Plugging Back	Non-Routine Fracturing
		Casing Repair	Water Shut-Off
	Final Abandonment Notice	Altering Casing	Conversion to Injection
		Other	Dispose Water
			e) Report results of multiple completion on Well pletion or Recompletion Report and Log form.)
13.	Describe Proposed or Completed Operations (Clearly state all pertinent	details, and give pertinent dates, including estimated date of starting any proposed work. If well is	directionally drilled,

give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

# THE FOLLOWING WORK WAS PERFORMED ON THIS WELL FORM 12/06/99 THROUGH 12/11/99:

- MIRU, CLEAN OUT TO PBTD W/BIT AND SCRAPER TO PBTD @ 5330'. 1.
- HYDROTEST PACKER IN HOLE ON TBG AND SET @ 5118' 2.
- 3. ACID FRAC WILL WITH 7500 GALS 28% HCL, 25000 GALS 28% SGA, AND 15000 GALS 28% HCL
- OVERDISPLACE AND CHASE ACID WITH 6500 GALS 2% KCI WATER 4.
- FLOW AND SWAB BACK LOAD FLUID
- POOH WITH PACKER. RIH WITH PROD TBG AND RODS
- RWTP

14. I hereby certify that the foregoing is true and correct.  Signed D. C. BEAMAN Communication Comm	Title	COMPUTER SYSTEMS OPERATOR	Date	03/17/00		
(This space for Federal or State office use)						
Approved by:	Title		Date			
Conditions of approval, if any			<del>-</del>	······································		
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.						

# Division of Oil, Gas and Mining

# **OPERATOR CHANGE WORKSHEET**

ROUTING

4-KAS

2. CDW 5-\$300

3. JLT 6-FILE

Enter date after each listed item is completed

# X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:	01/01/2000		
FROM: (Old Operator):	TO: ( New Operator):		
CHEVRON USA INC	SHENANDOAH ENERGY INC		
Address: 11002 E. 17500 S.	Address: 11002 E. 17500 S.		
VERNAL, UT 84078-8526	VERNAL, UT 84078		
Phone: 1-(435)-781-4300	Phone: 1-(435)-781-4300		
Account No. N0210	Account No. N4235		

	CA No.	CA No			WONSITS VALLEY	
WELL(S)						
NAME	API	<b>ENTITY</b>	SECTION	TOWNSHIP	RANGE	LEASE
WVFU 48	43-047-15476	5265	10	08S	21E	FEDERAL
WVFU 53	43-047-20003	5265	10	08S	21E	FEDERAL
WVFU 62	43-047-20024	5265	10	08S	21E	FEDERAL
WVFU 105	43-047-30023	5265	10	08S	21E	FEDERAL
WVFU 128	43-047-30798	5265	10	08S	21E	FEDERAL
WVFU 43	43-047-15471	5265	11	08S	21E	FEDERAL
WVFU 55	43-047-20005	5265	14	08S	21E	FEDERAL
WVFU 103	43-047-30021	5265	14	08S	21E	FEDERAL
WVFU 110	43-047-30046	5265	14	08S	21E	FEDERAL
WVFU 121	43-047-31873	5265	14	08S	21E	FEDERAL
WVFU 65	43-047-20041	5265	15	08S	21E	FEDERAL
WVFU 104	43-047-30022	5265	15	08S	21E	FEDERAL
WVFU 109	43-047-30045	5265	15	08S	21E	FEDERAL
WVFU 112	43-047-30048	5265	15	08S	21E	FEDERAL
WVFU 124	43-047-30745	5265	15	08S	21E	FEDERAL
WVFU 132	43-047-30822	5265	15	08S	21E	FEDERAL
WVFU 133	43-047-31706	5265	15	08S	21E	FEDERAL
WVFU 119	43-047-32461	5265	21	08S	21E	FEDERAL
WVFU 135-2	43-047-32016	5265	21	08S	21E	FEDERAL
WVFU 136	43-047-31047	5265	21	08S	21E	FEDERAL
WVFU 130	43-047-32307	5265	22	08S	21E	FEDERAL

# **OPERATOR CHANGES DOCUMENTATION**

1.	(R649-8-10) Sundry or legal documentation was received from the <b>FORMER</b> operator on:	12/30/1999
2.	(R649-8-10) Sundry or legal documentation was received from the <b>NEW</b> operator on:	08/09/2000

3. The new company has been checked through the Department of Commerce, Division of Corporations Database on:

08/22/2000

4.	Is the new operator registered in the State of Utah: YES Business Number: 224885	7
5.	If NO, the operator was contacted contacted on:	
6.	Federal and Indian Lease Wells: The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on:  02/04/2000	
7.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: 02/04/2000	
8.	Federal and Indian Communization Agreements ("CA"): The BLM or the BIA has approved the operator change for all wells listed involved in a CA on:  N/A	
9.	Underground Injection Control ("UIC" The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:  N/A	
<b>D</b> .	ATA ENTRY:  Changes entered in the Oil and Gas Database on: 08/22/2000	
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on: 08/22/2000	
3.	Bond information entered in RBDMS on: N/A	
4.	Fee wells attached to bond in RBDMS on:  N/A	
<b>S</b> 7	State well(s) covered by Bond No.:  N/A	
	CE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:  (R649-3-1) The NEW operator of any fee well(s) listed has furnished a bond:  N/A	
2.	The <b>FORMER</b> operator has requested a release of liability from their bond on:  N/A  The Division sent response by letter on:  N/A	
3.	(R649-2-10) The <b>FORMER</b> operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:	
	LMING: All attachments to this form have been MICROFILMED on: 3.5.0	
	LING: ORIGINALS/COPIES of all attachments pertaining to each individual well have been filled in each well file on:	
C	DMMENTS:	
_		



aependence Plaza

1050 17th Street, Suite 500 Denver, CO 80265

Tel 303 672 6900 • Fax 303 294 9632

**Denver Division** 

May 28, 2003

Division of Oil, Gas, & Mining 1594 West North Temple, Suite 1210 P. O. Box 145801 Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

#### Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named QEP Uinta Basin, Inc. pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Thelen

Yours truly,

Frank Nielsen

Division Landman

Enclosure

JUN 0 2 2003



# United States Department of the Interior

#### **BUREAU OF LAND MANAGEMENT**

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

IN REPLY REFER TO UT-922

June 9, 2003

QEP Uinta Basin, Inc. 1050 17<sup>th</sup> Street, Suite 500 Denver, Colorado 80265

Re:

Wonsits Valley Unit Uintah County, Utah

#### Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed it name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Wonsits Valley Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

**Enclosure** 

bcc: Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining Minerals Adjudication Group

File - Wonsits Valley Unit (w/enclosure)

Agr. Sec. Chron

Fluid Chron

UT922:TAThompson:tt:6/9/03

# JUL 0 7 2003

3104 (932.34)WF Nationwide Bond ESB000024

#### **NOTICE**

QEP Uinta Basin, Inc. 1050 17<sup>th</sup> Street Suite 500 Denver, Colorado 80265

Oil and Gas lease

iea

# Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Unita Basin MFO

well name	Coo	T	TD.	1	15.00	1	1.	1				.,		·
WVU 144	1		R	api	Entity	Lease Type	type	stat	ļ	unit_name	field		type lease #	bond #
WVU 143	10	080S	210E	4304731807		Federal	OW	P	ļ	WONSITS VALLEY	710 S	UINTAH		UT-0969
WVU 145	10	0808	210E	4304731808		Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	·	UT-0969
WVU 121	18	0808	220E	4304731820		Federal	GW	P	ļ	WONSITS VALLEY	710 S	UINTAH	1 U-057	UT-0969
WVU 135-2	14	0805	210E	4304731873	+	Federal	OW	S		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVU 130	22	0805	210E	4304732016		Federal	OW	P	ļ	WONSITS VALLEY	710 S	UINTAH	1 U-0804	UT-0969
WVU 71-2	15	080S	210E	4304732307	· · · · · · · · · · · · · · · · · · ·	Federal	OW	P	ļ	WONSITS VALLEY	710 S	UINTAH	1 U-0804	UT-0969
WVFU 119	21	080S 080S	210E 210E	4304732449		Federal	WI	A	ļ	WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVFU 120	22	080S	<del></del>	4304732461		Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0804	UT-0969
WVFU 54 WG	07	-	210E	4304732462	<del></del>	Federal	WI	A	ļ	WONSITS VALLEY	710 S	UINTAH	1 U-0804	UT-0969
WVFU 69 WG	18	0805	220E 220E	4304732821		Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-22158	UT-0969
WVFU 38 WG	08	0808		4304732829		Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-057	UT-0969
VVFU 49 WG	-	0808	220E	4304732831	<del></del>	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-022158	UT-0969
WVFU 138 WG	08	080S	220E	4304732832	<del></del>	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH		UT-0969
WVFU 14 WG	18	0808	220E	4304733054	+	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-057	UT-0969
WVFU 11 WG	12	0805	210E	4304733070	+	Federal	GW	Р		WONSITS VALLEY	710 S	UINTAH	1 U-806	UT-0969
WVFU 81 WG	12	0808	210E	4304733085	+	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVFU 146 WG	24	080S	210E	4304733086		Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0810	UT-0969
WVFU 1W-14-8- 21	19 14	080S	220E	4304733128		Federal	GW	P		WONSITS VALLEY	630 S	UINTAH	1 U-057	UT-0969
WVFU 5W-13- 8-21	<del></del>	0808	210E	4304733220	·	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVFU 9W-13-8-21	13	080\$	210E	4304733221		Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVFU 46 WG	13 07	080S	210E 220E	4304733223	12436		GW	P		WONSITS VALLEY	710 S	UINTAH	3 ML-3084A	159261960
WVFU 2W-16-8-21		0808		4304733241	·	Federal	GW	P		WONSITS VALLEY	+	UINTAH	1 U-022158	UT-0969
WVFU 2G-16-8-21	16	080S 080S	210E	4304733246	12436		GW	P		WONSITS VALLEY		UINTAH	3 ML-2237	159261960
WVFU 9W-14-8-21	16	+	210E	4304733247		State	OW	P		WONSITS VALLEY	710 S	UINTAH	3 ML-2237	159261960
WVFU 7W-13-8-21		0808	210E	4304733269		Federal	GW	P	_	WONSITS VALLEY		UINTAH	1 U-0807	UT-0969
WVFU 1W-18-8-22	13 18	0808	210E	4304733270		Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVFU 11W-8-8-22		080S	220E	4304733294		Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-057	UT-0969
WVFU 3W-8-8-22	08	<del></del>	220E	4304733295	<del></del>	Federal	GW	P		WONSITS VALLEY		UINTAH	1 U-022158	UT-0969
WVFU 5W-7-8-22	08 07	080S 080S	220E 220E	4304733493		Federal	GW	P	-	WONSITS VALLEY		UINTAH	1 U-022158	UT-0969
VFU 11W-7-8-22	07		4	4304733494		Federal	GW	P		WONSITS VALLEY	· · · · · · · · · · · · · · · · · · ·	UINTAH		UT-0969
WVFU 13W-7-8-22	07	080S 080S	220E	4304733495		Federal	GW	P	-	WONSITS VALLEY		UINTAH		UT-0969
WVFU IW-7-8-22	07		220E	4304733496		Federal	GW	P		WONSITS VALLEY		UINTAH		UT-0969
WVFU 3W-7-8-22	07	080S	220E	4304733501		Federal	GW	P		WONSITS VALLEY		UINTAH		UT-0969
WV 7WRG-7-8-22	07	080S 080S	220E 220E	4304733502	<del></del>	Federal	GW	P		WONSITS VALLEY		UINTAH		UT-0969
WVFU 6W-16-8-21	16			4304733503		Federal	OW	P		WONSITS VALLEY		UINTAH	1 UTU-02215	UT-0969
WVFU 16W-9-8-21	09	0808	210E	4304733527	12436		GW			WONSITS VALLEY		UINTAH	3 ML-2237	159261960
WVFU 1W-12-8-21		0808	210E	4304733529		Federal	GW	P		WONSITS VALLEY		UINTAH	1 U-0805	UT-0969
WVFU 1W-13-8-21		080S	210E	4304733531		Federal	GW	P		WONSITS VALLEY		UINTAH	1 U-0806	UT-0969
WVFU 3W-18-8-22			210E	4304733532		Federal	GW	P		WONSITS VALLEY		UINTAH	1 U-0806	UT-0969
WVFU 9W-12-8-21			220E	4304733533	<del></del>	Federal	GW	P		WONSITS VALLEY		UINTAH	1 U-057	UT-0969
			210E	4304733534		Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVFU 11W-12-8-21 WVFU 11W-13-8-21			210E	4304733535		Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
			210E	4304733536		Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVFU 13W-12-8-21		080S	210E	4304733537		Federal	GW	P		WONSITS VALLEY		UINTAH	I U-0806	UT-0969
WVFU 13W-18-8-22	18	080S	220E	4304733538	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-057	UT-0969

well_name   S	Sec	Т	R	api	Entity	Lease Type	type	stat	٦,	unit name	field	county type	lease #	bond #
		080S	210E	4304715447		Federal	WI	A		WONSITS VALLEY	710 S		U-0807	UT-0969
	-		210E	4304715452	99990		WI	A		WONSITS VALLEY	710 S		ML-2237	159261960
			210E	4304715460		Federal	WI	A		WONSITS VALLEY	710 S		U-0807	UT-0969
WVU 35 1			210E	4304715463		Federal	WI	A		WONSITS VALLEY	710 S	<del> </del>	U-0807	UT-0969
WVU 36 1	0	080S	210E	4304715464		Federal	WI	A		WONSITS VALLEY	710 S	<del></del>	U-0806	UT-0969
WVU 41 1	5	080S	210E	4304715469	5265	Federal	WI	A		WONSITS VALLEY	710 S		U-0807	UT-0969
WVU 43 , 1	Ī.	080S	210E	4304715471		Federal	ow	Р		WONSITS VALLEY	710 S	<del></del>	U-0806	UT-0969
WVU 48 1	0	080S	210E	4304715476		Federal	ow	Р		WONSITS VALLEY	710 S		U-0806	UT-0969
	5	080S	210E	4304715477	5265	Federal	WI	Α		WONSITS VALLEY	710 S		U-0807	UT-0969
	6	080S	210E	4304716513	5265		ow	P		WONSITS VALLEY	710 S		ML-2237	159261960
The same state of the same sta	0	080S	210E	4304720003	5265	Federal	OW	P		WONSITS VALLEY	710 S		U-0806	UT-0969
			210E	4304720005	5265	Federal	ow	P	١	WONSITS VALLEY	710 S		U-0807	UT-0969
The state of the s			210E	4304720018	5265	Federal	WI	A	1	WONSITS VALLEY	710 S	UINTAH I	U-0807	UT-0969
		080S	210E	4304720019		Federal	WI	A	1	WONSITS VALLEY	710 S	UINTAH 1	U-0807	UT-0969
			210E	4304720024		Federal	OW	P	1	WONSITS VALLEY	710 S	UINTAH 1	U-0806	UT-0969
			<b></b>	4304720041		Federal	OW	P	1	WONSITS VALLEY	710 S	UINTAH	U-0807	UT-0969
WVU 67 1			210E	4304720043		Federal	WI	A		WONSITS VALLEY	710 S	UINTAH 1	U-0807	UT-0969
The state of the s			210E	4304720047		Federal	WI	A		WONSITS VALLEY	710 S		U-0807	UT-0969
The state of the s			210E	4304720058	99990		WI	A		WONSITS VALLEY	710 S	UINTAH 3	ML-2237A	159261960
The second secon	******		210E	4304720066	5265		WI	A		WONSITS VALLEY	710 S		ML-2237	159261960
			210E	4304720078	5265		OW	P		WONSITS VALLEY	710 S		ML-2237	159261960
TOTAL CONTRACT CONTRA			210E	4304720085	5265		ow	P		WONSITS VALLEY	710 S		ML-2237	159261960
			210E	4304720115	99990		WI	A		WONSITS VALLEY	710 S		ML-2237	159261960
WVU 83			210E	4304720205		Federal	GW	Р		WONSITS VALLEY	710 S		U-0809	UT-0969
1		080S	210E	4304730014		Federal	WI	Λ		WONSITS VALLEY	710 S		U-0806	UT-0969
The second secon			210E	4304730021		Federal	OW	P		WONSITS VALLEY	710 S		U-0807	UT-0969
The second secon			210E	4304730022		Federal	OW	P		WONSITS VALLEY	710 S		U-0807	UT-0969
		080S	210E	4304730023		Federal	ow	P		WONSITS VALLEY	710 S		U-0806	UT-0969
			210E	4304730045		Federal	OW	P		WONSITS VALLEY	710 S		U-0807	UT-0969
The second secon			210E	4304730046		Federal	OW	P		WONSITS VALLEY	710 S		U-0807	UT-0969
			210E	4304730048		Federal	ow	P		WONSITS VALLEY	710 S		U-0807	UT-0969
The state of the s			210E	4304730745		Federal	ow	P		WONSITS VALLEY			U-0806	
WVU 126 2		080S		4304730796		Federal	WI	A		WONSITS VALLEY	710 S		U-0804	UT-0969
The state of the s				4304730798		Federal	OW	P		WONSITS VALLEY	710 S		U-0806	UT-0969
WVU 132 1				4304730822		Federal	OW	P		WONSITS VALLEY	710 S		U-0807	UT-0969
WVU 136 2				4304731047		Federal	OW	P		WONSITS VALLEY	710 S		U-0804	UT-0969
				4304731118	5265		OW	Р	_\\	WONSITS VALLEY			ML-2237	159261960
WVU 137 1				4304731523		Federal	OW	Р		WONSITS VALLEY			U-0806	UT-0969
WVU 28-2 1				4304731524	99990		WI	A	1	WONSITS VALLEY	710 S	UINTAH 1	U-0806	UT-0969
The second section of the second seco				4304731609	5265		OW	P		WONSITS VALLEY	710 S		ML-2237	159261960
WVU 127 I				4304731611	5265		OW	P		WONSITS VALLEY	710 S		ML-2237	159261960
				4304731612	5265		OW	P		WONSITS VALLEY	710 S		ML-2237	159261960
WVU 133 1:				4304731706		Federal	OW	P	V	WONSITS VALLEY	710 S		U-0807	UT-0969
				4304731707	5265	Federal	WI	A	I	WONSITS VALLEY	710 S	UINTAH 1	U-0807	UT-0969
WVU 40-2	0 ]	080S	210E	4304731798	5265	Federal	WI	Α		WONSITS VALLEY	710 S	UINTAH 1	U-0806	UT-0969

1

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	Τ	unit name	field	county	type lease #	bond #
WVFU 6G-16-8-21	16	080S	210E	4304733564	<del></del>	State	OW	Р		WONSITS VALLEY	710 S	UINTAH		159261960
WVFU 16G-9-8-21	09			4304733565		Federal	ow	P	<del>                                     </del>	WONSITS VALLEY	710 S	UINTAH		UT-0969
WVFU 1W-21-8-21	21		210E	4304733602		Federal	GW	P	-	WONSITS VALLEY	710 S	UINTAH	1 UTU-6821	
WVFU 3W-13-8-21	13	080S	210E	4304733603		Federal	GW	P	<u> </u>	WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVFU 3W-22-8-21	22	080S	210E	4304733604		Federal	GW	P	1	WONSITS VALLEY	710 S	UINTAH	1 U-0804	UT-0969
WVFU 3W-24-8-21	24	080S	210E	4304733605	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0810	UT-0969
WVFU 13W-13-8-21	13			4304733606	12436	Federal	GW	P	"	WONSITS VALLEY	710 S	UINTAH		UT-0969
WVFU 13W-14-8-21	14		+	4304733607			GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVFU 15W-13-8-21	13			4304733608			GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
	24			4304733613			GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0810	UT-0969
	18			4304733626			GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-057	UT-0969
	02	<del></del>	<del></del>	4304733645	5265		OW	P		WONSITS VALLEY	710 S	UINTAH	3 ML-2785	159261960
	02			4304733648	12436		GW	P		WONSITS VALLEY	2 S	UINTAH	3 ML-2785	159261960
WVFU 12W-16-8-21	16			4304733649	12436		GW	P		WONSITS VALLEY	710 S	UINTAH	3 ML-2237	159261960
WVFU 12G-16-8-21	16			4304733650	5265		OW	P		WONSITS VALLEY	710 S	UINTAH	3 ML-2237	159261960
WVFU 2W-10-8-21	10			4304733655			GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVFU 4W-11-8-21	11			4304733657			GW	P	<u> </u>	WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVFU 12W-10-8-21 WVFU 12G-10-8-21	10			4304733659			GW	P	ļ	WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
	10			4304733660			OW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
	09			4304733661			GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0805	UT-0969
WVFU 2W-13-8-21	09			4304733662			OW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0805	UT-0969
WVFU 6W-13-8-21	13	-		4304733791			GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVFU 8W-13-8-21	13			4304733792			GW	P	ļ	WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
	01			4304733793			GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVFU 10W-13-8-21	13			4304733794 4304733795			GW	S		WONSITS VALLEY	710 S	UINTAH	1 U-0802	UT-0969
WVFU 16W-13-8-21	13			4304733795			GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
	07			4304733796	12436		GW	P		WONSITS VALLEY	710 S	UINTAH	3 ML-3084	159261960
the state of the s	08			4304733808			GW	<del></del>		WONSITS VALLEY	710 S	UINTAH	1 U-022158	UT-0969
A commence of the contract of	08	+		4304733811			GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-022158	UT-0969
the second section of the section of th	07	-		4304733812			GW	P	ļ	WONSITS VALLEY	710 S	UINTAH	1 U-022158	UT-0969
The state of the s	08			4304733813			GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-022158	UT-0969
	08			4304733814		Federal	GW GW	P	-	WONSITS VALLEY	710 S	UINTAH	1 U-022158	UT-0969
The state of the s	07			4304733813			GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-022158	UT-0969
	07			4304733817			GW	P		WONSITS VALLEY WONSITS VALLEY	710 S	UINTAH		UT-0969
	07	+		4304733828			GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-022158	UT-0969
WVFU 6W-18-8-22	18	+		4304733842			GW	P	C	WONSITS VALLEY	710 S 710 S	UINTAH UINTAH	1 U-022158	UT-0969
	18			4304733843			GW	P	<u> </u>	WONSITS VALLEY	710 S	UINTAH	1 U-057	UT-0969
	18			4304733844		****	GW	P		WONSITS VALLEY	<del></del>	UINTAH	1 U-057	UT-0969
The state of the s				4304733860			GW	P		WONSITS VALLEY		UINTAH		UT-0969
The second secon				4304733861			GW	P		WONSITS VALLEY		UINTAH		UT-0969 UT-0969
				4304733862			GW	P		WONSITS VALLEY		UINTAH		UT-0969 UT-0969
WVFU 10W-12-8-21		+		4304733863			GW	P		WONSITS VALLEY		UINTAH		·
WVFU 14W-12-8-21	12			4304733864			GW	P		WONSITS VALLEY		UINTAH		UT-0969 UT-0969
WVFU 16W-12-8-21		-		4304733865			GW	P		WONSITS VALLEY		UINTAH		UT-0969 UT-0969
The state of the s		1220			12130	. oderar	311	1'	لــــا	WORDLID VALLET	/10[3	JUNIAH	110-0800	O 1-0303

WYEU   W-15-8-2    15   1005   210E   20073300.   1245   506671   300   7	well name	Can	T	D	1:	ID	1.	T	1	1		T	·		
WYFU   W-22-8-21		Sec	10000	R	api	Entity	Lease Type	type	stat		unit_name	field			bond #
WYFU   W-21-8-21										<u></u>	<del></del>		<del></del>		
WYFU DW.14-8-21			+		<del> </del>		<del></del>		<u> </u>		<del> </del>		<del></del>		
WY Fig.   WY F			1				<del></del>		ļ <u>.</u>	ļ			· <del>         </del>		
WYPU 19W-24-8-21			1		<del></del>		<del></del>		ļ <u>.</u>	ļ		<del> </del>			
WYFU 10W-11-8-22	) —— grand a same a								<u> </u>						
WYEU 11W-15-8-21								<del></del>	ļ <u>.</u>						
WYPU   11-17-8-21				1					·		<del>                                     </del>		+		
WYEU 13W-11-8-21	The state of the s								<u> </u>						
WYFU 13W-15-8-21			+		<del> </del>			<del></del>	-			<del></del>			
WYFU 158-16-8-2    10   0805   210E   4304733910   12436   Federal   GW   P   WONSITS VALLEY   710 S   UINTAH   1   U-0806   UT-0969   WYFU 15W-14-8-2    14   0805   210E   4304733953   12436   Federal   GW   P   WONSITS VALLEY   710 S   UINTAH   1   U-0807   UT-0969   WYFU 7W-14-8-2    14   0805   210E   4304733955   12436   Federal   GW   P   WONSITS VALLEY   710 S   UINTAH   1   U-0807   UT-0969   WYFU 8W-14-8-2    14   0805   210E   4304733955   12436   Federal   GW   P   WONSITS VALLEY   710 S   UINTAH   1   U-0807   UT-0969   WYFU 8W-14-8-2    15   0805   210E   4304733958   12436   Federal   GW   P   WONSITS VALLEY   710 S   UINTAH   1   U-0807   UT-0969   WYFU 8W-14-8-2    15   0805   210E   4304733958   12436   Federal   GW   P   WONSITS VALLEY   710 S   UINTAH   1   U-0807   UT-0969   WYFU 9W-15-8-2    13   0805   210E   4304733963   12436   Federal   GW   P   WONSITS VALLEY   710 S   UINTAH   1   U-0807   UT-0969   WYFU 13W-15-8-2    13   0805   210E   4304733963   12436   Federal   GW   P   WONSITS VALLEY   710 S   UINTAH   1   U-0807   UT-0969   WYFU 14W-15-8-2    14   080S   210E   4304733963   12436   Federal   GW   P   WONSITS VALLEY   710 S   UINTAH   1   U-0807   UT-0969   WYFU 14W-15-8-2    14   080S   210E   4304733963   12436   Federal   GW   P   WONSITS VALLEY   710 S   UINTAH   1   U-0806   UT-0969   WYFU 14W-18-8-2    15   080S   220E   4304733963   12436   Federal   GW   P   WONSITS VALLEY   710 S   UINTAH   1   U-0807   UT-0969   WYFU 14W-18-8-2    18   080S   220E   4304733963   12436   Federal   GW   P   WONSITS VALLEY   710 S   UINTAH   1   U-0807   UT-0969   WYFU 14W-18-8-2    18   080S   220E   4304733996   12436   Federal   GW   P   WONSITS VALLEY   710 S   UINTAH   1   U-0807   UT-0969   WYFU 14W-18-8-2    18   080S   220E   4304733996   12436   Federal   GW   P   WONSITS VALLEY   710 S   UINTAH   1   U-0807   UT-0969   WYFU 14W-18-8-2    18   080S   220E   4304733996   12436   Federal   GW   P   WONSITS VALLEY   710 S   UINTAH   1   U-0807   UT-0969   WYFU 14W-18-8-2    18			<del> </del>		<del></del>				<u> </u>						
VPU 15W-15-8-21			·						-	· <b>-</b>			+		
AVEU SW-14-8-21			+		<del></del>				·			<del></del>	+		
WYFU W.14-8-21					<del></del>				1			<del></del>			
WYFU RW-11-8-21	The state of the s								*						
WYFU 18W-14-8-21			<del></del>		<del> </del>								+		
WYFU 12W-13-8-21   15					·		<del></del>		^		†				
WYFU 12W-13-8-21   13	) the same of the											<del> </del>	<del> </del>		
WYFU 14W-13-8-2    13   0808   210E   4304733962   12436 Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   UTU-0806   UT-0969   WYFU 2W-18-8-22   18   0805   220E   4304733963   12436 Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   UTU-0806   UT-0969   WY-WYFU 2W-18-8-22   18   0805   220E   4304733986   12436 Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   UTU-0806   UT-0969   WY-WYFU 2W-18-8-22   18   0805   220E   4304733989   12436 Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   UTU-0806   UT-0969   WY-WYFU 10W-18-8-22   18   0805   220E   4304733999   12436 Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   U-057   UT-0969   WY-WYFU 12W-18-8-22   18   0805   220E   4304733993   12436 Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   U-057   UT-0969   WY-WYFU 6W-18-21   01   0805   220E   4304733995   12436 Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   U-057   UT-0969   WYFU 6W-18-21   01   0805   210E   4304734008   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   U-057   UT-0969   WYFU 6W-18-21   01   0805   210E   4304734008   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   U-057   UT-0969   WYFU 6W-18-21   02   0805   210E   4304734008   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   U-057   UT-0969   WYFU 6W-18-21   02   0805   210E   4304734036   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   U-057   UT-0969   WY 14G-2-8-21   02   0805   210E   4304734036   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   U-057   UT-0969   WY 14G-2-8-21   02   0805   210E   4304734068   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   U-055   UT-0969   WY 14G-2-8-21   02   0805   210E   4304734068   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   U-055   UT-0969   WY 14G-2-8-21   02   0805   210E   4304734068   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   U-055   UT-0969   WY 14G-2-8-21   01   0805   210E   4304734068   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   UT-0806   UT	The second secon								-						
WYFU					<del> </del>				ļ				-		
WVFU_2W_18_8_22	The state of the s														
WV SW-18-8-22   18   080S   220E   4304733989   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-9617   UT-0969   WVFU 10W-18-8-22   18   080S   220E   4304733991   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-057   UT-0969   WVFU 12W-18-8-22   18   080S   220E   4304733995   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-057   UT-0969   WVFU 12W-18-8-22   18   080S   220E   4304733995   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-057   UT-0969   WVFU 8W-18-8-21   01   080S   210E   4304734008   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-057   UT-0969   WVFU 8W-18-21   01   080S   210E   4304734008   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WVFU 8W-18-21   02   080S   210E   4304734035   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   3   U-0802   UT-0969   WVFU 8W-18-21   02   080S   210E   4304734035   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   3   ML-2785   159261960   WVFU 8W-18-22   17   080S   220E   4304734036   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   3   ML-2785   159261960   WVFU 8W-18-22   01   080S   210E   4304734037   Federal   GW   APD   C   WONSITS VALLEY   710   S   UINTAH   3   ML-2785   159261960   WVFU 8W-18-22   01   080S   210E   4304734047   Federal   GW   APD   C   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WVFU 16W-18-22   01   080S   210E   4304734047   Federal   GW   APD   C   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WVFU 16W-18-22   01   080S   210E   4304734047   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WVFU 16W-18-21   01   080S   210E   4304734108   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WVFU 16W-18-21   01   080S   210E   4304734108   5265   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   UT-0804   U-0969   WVFU 16W-18-21   01   080S   210E   4304734144   12436	The state of the s		<del></del>						1			<del></del>			
WYFU 10W-18-8-22   18   080S   220E   4304733991   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-057   UT-0969   WYFU 12W-18-8-22   18   080S   220E   4304733993   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-057   UT-0969   WYFU 6W-1-8-21   01   080S   220E   4304734095   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-057   UT-0969   WYFU 6W-1-8-21   01   080S   210E   4304734008   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-057   UT-0969   WYFU 8W-1-8-21   01   080S   210E   4304734009   12436   Federal   GW   DRL   C   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WYFU 8W-1-8-21   02   080S   210E   4304734035   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WYFU 10G-2-8-21   02   080S   210E   4304734035   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WYFU 10G-2-8-21   02   080S   210E   4304734036   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   1   U-057   UT-0969   WYFU 10G-2-8-21   01   080S   20E   4304734038   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-057   UT-0969   WYFU 10G-2-8-21   01   080S   210E   4304734036   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   1   U-055   UT-0969   WYFU 13G-2-8-21   01   080S   210E   4304734047   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-055   UT-0969   WYFU 13G-2-8-21   01   080S   210E   4304734047   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WYFU 13G-2-8-21   01   080S   210E   4304734108   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   UT-0969   WYFU 13G-2-8-21   01   080S   210E   4304734108   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969					<del></del>				•				+		
WYFU 12W-18-8-22			+												
WV   14W-18-8-22   18   080S   220E   4304733995   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-057   UT-0969   WVFU 8W-18-21   01   080S   210E   4304734008   Federal   GW   APD   C   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WVFU 8W-18-21   02   080S   210E   4304734095   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WV   10G-2-8-21   02   080S   210E   4304734035   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WV   14G-2-8-21   02   080S   210E   4304734035   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   3   ML-2785   159261960   WV   14G-2-8-21   02   080S   210E   4304734036   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   3   ML-2785   159261960   WV   14G-2-8-21   02   080S   210E   4304734047   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-055   UT-0969   WV   13G-2-8-21   02   080S   210E   4304734047   Federal   GW   APD   C   WONSITS VALLEY   710   S   UINTAH   1   U-055   UT-0969   WV   13G-2-8-21   02   080S   210E   4304734047   Federal   GW   APD   C   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WV   13G-2-8-21   02   080S   210E   4304734047   Federal   GW   APD   C   WONSITS VALLEY   710   S   UINTAH   3   ML-2785-A   159261960   WV   13G-2-8-21   04   080S   210E   4304734107   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   3   ML-2785-A   159261960   WV   13G-2-8-21   04   080S   210E   4304734108   5265   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WV   24B-4-8-21   04   080S   210E   4304734141   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   UT-0807   U-0969   WV   24B-4-8-21   24B-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-			<del></del>		<del></del>										
WyFu 6W-1-8-21   01   080S   210E   4304734008   Federal   GW   APD   C   WONSITS VALLEY   710   S   UINTAH   I   U-0802   UT-0969   WyFu 8W-1-8-21   01   080S   210E   4304734036   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   I   U-0802   UT-0969   WV 10G-2-8-21   02   080S   210E   4304734035   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   I   U-0802   UT-0969   WV 14G-2-8-21   02   080S   210E   4304734036   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   I   U-0802   UT-0969   WV 14G-2-8-21   02   080S   210E   4304734036   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   I   U-055   UT-0969   WV 14G-2-8-21   01   080S   210E   4304734038   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   I   U-055   UT-0969   WV 13G-2-8-21   02   080S   210E   4304734068   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   I   U-0802   UT-0969   WV 3G-16-8-21   01   080S   210E   4304734107   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   I   U-0802   UT-0969   WV 2W-14-8-21   01   080S   210E   4304734108   5265   Federal   OW   P   WONSITS VALLEY   710   S   UINTAH   I   U-0802   UT-0969   WV 2W-14-8-21   01   080S   210E   4304734108   5265   Federal   OW   P   WONSITS VALLEY   710   S   UINTAH   I   U-0802   UT-0969   WV 2W-14-8-21   01   080S   210E   4304734108   5265   Federal   OW   P   WONSITS VALLEY   710   S   UINTAH   I   U-0802   UT-0969   WV 2W-14-8-21   01   080S   210E   4304734108   5265   Federal   OW   P   WONSITS VALLEY   710   S   UINTAH   I   UTU-0802   U-0969   WV 2W-23-8-21   21   080S   210E   4304734141   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   I   UTU-0804   U-0969   WV 2W-23-8-21   21   080S   210E   4304734142   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   I   UTU-0806   UT-0969   WV 4W-13-8-21   21   080S   210E   4304734143   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   I   UTU-0806   UT-0969   WV 4W-13-8-21   21   080S   210E   4304734144   1243			<del></del>		<del></del>							+	<del></del>		
WyFU 8W-1-8-21   O1   O80S   210E   4304734009   12436   Federal   GW   DRL   C   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WY 10G-2-8-21   O2   O80S   210E   4304734035   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   3   ML-2785   159261960   WY 14G-2-8-21   O2   O80S   210E   4304734036   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   3   ML-2785   159261960   WY 14G-2-8-21   O1   O80S   220E   4304734038   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   3   ML-2785   159261960   WY 16W-1-8-21   O1   O80S   210E   4304734038   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   U-055   UT-0969   WY 13G-2-8-21   O2   O80S   210E   4304734068   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WY 5G-16-8-21   O1   O80S   210E   4304734107   5265   State   OW   P   WONSITS VALLEY   710   S   UINTAH   3   ML-2785-A   159261960   WV 12G-1-8-21   O1   O80S   210E   4304734108   5265   Federal   OW   P   WONSITS VALLEY   710   S   UINTAH   3   ML-2785-A   159261960   WV 12G-1-8-21   O1   O80S   210E   4304734108   5265   Federal   OW   P   WONSITS VALLEY   710   S   UINTAH   1   U-0802   UT-0969   WV 2W-14-8-21   O1   O80S   210E   4304734140   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   UTU-0807   U-0969   WV 2W-23-8-21   O80S   210E   4304734141   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   UTU-0804   U-0969   WV 4W-13-8-21   O80S   210E   4304734144   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   UTU-0804   U-0969   WV 4W-13-8-21   O80S   210E   4304734144   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   UTU-0804   U-0969   WV 4W-22-8-21   O80S   210E   4304734145   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   UTU-0804   U-0969   WV 4W-22-8-21   O80S   210E   4304734145   12436   Federal   GW   P   WONSITS VALLEY   710   S   UINTAH   1   UTU-0804   U-0969   WV 4W-22-8-21   O80S   210E   4304734145						12430			•	<u> </u>					
WV 10G-2-8-21   02						12436							<del> </del>		
WV 14G-2-8-21										<u> </u>					
V 4W-17-8-22									-		· · · · · · · · · · · · · · · · · · ·				
WV 16W-1-8-21   01	V 4W-17-8-22												<del></del>		
WV 13G-2-8-21   02	AND THE PERSON NAMED OF TH					12430			-						
WV 5G-16-8-21	The same of the foreign of the same of the					5265									
WV 12G-1-8-21															
WV 2W-14-8-21			·												
GH 2W-21-8-21 21 080S 210E 4304734141 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0804 U-0969 WV 2W-23-8-21 23 080S 210E 4304734142 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0809 U-0969 GH 3W-21-8-21 21 080S 210E 4304734143 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0804 U-0969 WV 4W-13-8-21 13 080S 210E 4304734144 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0806 UT-0969 GH 4W-21-8-21 21 080S 210E 4304734145 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0806 UT-0969 WV 4W-22-8-21 22 080S 210E 4304734146 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0804 U-0969 WV 4W-22-8-21 10 080S 210E 4304734146 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0804 U-0969 WV 16W-11-8-21 11 080S 210E 4304734155 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0804 U-0969 WV 16W-11-8-21 11 080S 210E 4304734155 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0806 UT-0969 WV 3W-19-8-22 19 080S 220E 4304734187 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0806 UT-0969 WV 3W-19-8-22 19 080S 220E 4304734187 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0806 UT-0969 WV 3W-19-8-22 19 080S 220E 4304734187 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0806 UT-0969 WV 3W-19-8-22 19 080S 220E 4304734187 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0806 UT-0969 WV 3W-19-8-22 19 080S 220E 4304734187 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0806 UT-0969 WV 3W-19-8-22 19 080S 220E 4304734187 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0806 UT-0969 WV 3W-19-8-22 19 080S 220E 4304734187 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0806 UT-0969 WV 3W-19-8-22 19 080S 220E 4304734187 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-057 UT-0969	The state of the s											<del> </del>			
WV 2W-23-8-21         23         080S         210E         4304734142         12436 Federal         GW P         WONSITS VALLEY         710 S         UINTAH         1 UTU-0809         U-0969           GH 3W-21-8-21         21         080S         210E         4304734143         12436 Federal         GW P         WONSITS VALLEY         710 S         UINTAH         1 UTU-0804         U-0969           WV 4W-13-8-21         13         080S         210E         4304734144         12436 Federal         GW P         WONSITS VALLEY         710 S         UINTAH         1 UTU-0806         UT-0969           GH 4W-21-8-21         21         080S         210E         4304734145         12436 Federal         GW P         WONSITS VALLEY         710 S         UINTAH         1 UTU-0806         UT-0969           WV 4W-22-8-21         22         080S         210E         4304734146         12436 Federal         GW P         WONSITS VALLEY         710 S         UINTAH         1 UTU-0804         U-0969           WV 16W-11-8-21         11         080S         210E         4304734155         12436 Federal         GW P         WONSITS VALLEY         710 S         UINTAH         1 UTU-0806         UT-0969           WV 3W-19-8-22         19         080S	GH 2W-21-8-21		<del></del>												
GH 3W-21-8-21 21 080S 210E 4304734143 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0804 U-0969 WV 4W-13-8-21 13 080S 210E 4304734144 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0806 UT-0969 GH 4W-21-8-21 21 080S 210E 4304734145 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0804 UT-0969 WV 4W-22-8-21 22 080S 210E 4304734146 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0804 UT-0969 WV 16W-11-8-21 11 080S 210E 4304734155 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0804 U-0969 WV 16W-11-8-21 11 080S 210E 4304734155 12436 Federal GW S WONSITS VALLEY 710 S UINTAH 1 UTU-0806 UT-0969 WV 3W-19-8-22 19 080S 220E 4304734187 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0806 UT-0969 WV 3W-19-8-22 19 080S 220E 4304734187 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0806 UT-0969									-				<del> </del>		
WV 4W-13-8-21         13         080S         210E         4304734144         12436         Federal         GW         P         WONSITS VALLEY         710 S         UINTAH         1         UTU-0806         UT-0969           GH 4W-21-8-21         21         080S         210E         4304734145         12436         Federal         GW         P         WONSITS VALLEY         710 S         UINTAH         1         UTU-0804         UT-0969           WV 4W-22-8-21         22         080S         210E         4304734146         12436         Federal         GW         P         WONSITS VALLEY         710 S         UINTAH         1         UTU-0804         U-0969           WV 16W-11-8-21         11         080S         210E         4304734155         12436         Federal         GW         S         WONSITS VALLEY         710 S         UINTAH         1         UTU-0804         U-0969           WV 3W-19-8-22         19         080S         220E         4304734187         12436         Federal         GW         P         WONSITS VALLEY         710 S         UINTAH         1         UTU-0806         UT-0969           WV 4W 23 8 21         23         200S         220E         4304734187         12436									-			<del></del>		<del></del>	
GH 4W-21-8-21 21 080S 210E 4304734145 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0804 UT-0969 WV 4W-22-8-21 22 080S 210E 4304734146 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0804 U-0969 WV 16W-11-8-21 11 080S 210E 4304734155 12436 Federal GW S WONSITS VALLEY 710 S UINTAH 1 UTU-0806 UT-0969 WV 3W-19-8-22 19 080S 220E 4304734187 12436 Federal GW P WONSITS VALLEY 710 S UINTAH 1 UTU-0806 UT-0969												·			
WV 4W-22-8-21         22         080S         210E         4304734146         12436 Federal         GW P         WONSITS VALLEY         710 S         UINTAH         1 UTU-0804         U-0969           WV 16W-11-8-21         11         080S         210E         4304734155         12436 Federal         GW S         WONSITS VALLEY         710 S         UINTAH         1 UTU-0806         UT-0969           WV 3W-19-8-22         19         080S         220E         4304734187         12436 Federal         GW P         WONSITS VALLEY         630 S         UINTAH         1 UTU-057         UT-0969           WV 4W-23-8-21         23         080S         210E         4304734187         12436 Federal         GW P         WONSITS VALLEY         630 S         UINTAH         1 UTU-057         UT-0969	GH 4W-21-8-21								<u>-</u>						
WV 16W-11-8-21	And the second s								<u> </u>				<del></del>		
WV 3W-19-8-22 19 080S 220E 4304734187 12436 Federal GW P WONSITS VALLEY 630 S UINTAH 1 UTU-057 UT-0969	The state of the s								<u> </u>			<del></del>	<del></del>		
WV 4W 22 8 21 22 2000 210F 120 75 100												·			
	WV 4W-23-8-21				4304734188				•		WONSITS VALLEY	1	UINTAH		UT-0969

well name	Sec	T	R	api	Entity		<b>*</b>	T-4-4		T	6.11	T	I. I. "	
	23	080S		4304734189			type	stat	<del> </del>	unit_name	field	county	type lease #	bond #
WV 11W-16-8-21		080S	<del></del>	4304734189	12436	Federal	GW GW	P		WONSITS VALLEY	710 S	UINTAH	<del></del>	UT-0969
	16	080S		4304734191	12436		GW	P		WONSITS VALLEY	710 S	UINTAH		159261960
WV 14W-16-8-21		080S	210E	4304734191				P		WONSITS VALLEY	710 S	UINTAH		
WV 15W-16-8-21		080S	1	4304734192	12436		GW	<u> </u>		WONSITS VALLEY	710 S	UINTAH	3 ML-2237	159261960
WV 16W-16-8-21		080S		4304734224	12436 12436		GW	P		WONSITS VALLEY	710 S	UINTAH	3 ML-2237	159261960
	15	0805		4304734242			GW	P		WONSITS VALLEY	710 S	UINTAH		
Company of the Compan	22	080S		4304734242			GW GW	P	-	WONSITS VALLEY	710 S	UINTAH	· · · · · · · · · · · · · · · · · · ·	UT-0969
WV 4W-14-8-21	14	080S		4304734244			GW	P		WONSITS VALLEY WONSITS VALLEY	710 S	UINTAH	<del></del>	UT-0969
WV 6W-12-8-21		080S	210E	4304734245			GW	TA		WONSITS VALLEY WONSITS VALLEY	710 S	UINTAH	·	UT-0969
WV 7W-15-8-21		080S	210E	4304734246			GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
		080S	210E	4304734247			GW	P			710 S	UINTAH	·	UT-0969
		080S		4304734247			GW	TA		WONSITS VALLEY WONSITS VALLEY	710 S	UINTAH		UT-0969
		080S		4304734249			GW	P	ļ		710 S	UINTAH	1 U-0806	UT-0969
		080S	210E	4304734250			GW	P		WONSITS VALLEY WONSITS VALLEY	710 S	UINTAH	· · · · · · · · · · · · · · · · · · ·	UT-0969
		080S	210E	4304734250		Federal	GW	P		WONSITS VALLEY WONSITS VALLEY	710 S	UINTAH		UT-0969
		080S		4304734263	12430		GW		C	WONSITS VALLEY	710 S	UINTAH		UT-0969
		080S	210E	4304734264			GW	APD	C	WONSITS VALLEY	710 S	UINTAH UINTAH	1 UTU-0806	UT-0969
The state of the s		080S		4304734265	12436	T	GW	DRL	C	WONSITS VALLEY	710 S	UINTAH	1 UTU-0806	UT-0969
		080S	210E	4304734266			GW		C				1 UTU-0806	UT-0969
The second secon		080S	210E	4304734267			GW		C	WONSITS VALLEY WONSITS VALLEY	710 S 710 S	UINTAH	1 UTU-0806	UT-0969
			210E	4304734268			GW		C	WONSITS VALLEY	710 S	UINTAH		UT-0969
The state of the s		080S	210E	4304734269			GW		С	WONSITS VALLEY	710 S	UINTAH UINTAH	1 UTU-0806 1 UTU-0806	UT-0969
WV 5W-12-8-21	12	080S	210E	4304734270			GW		C	WONSITS VALLEY	710 S	UINTAH		
WV 6W-14-8-21		080S	210E	4304734271			GW	P		WONSITS VALLEY	710 S	UINTAH	1 UTU-0806 1 UTU-0807	UT-0969
WV 9W-11-8-21		080S	210E	4304734274			GW		C	WONSITS VALLEY	710 S	UINTAH		UT-0969
WV 10W-14-8-21				4304734275	12436		GW	P		WONSITS VALLEY	710 S	UINTAH	1 UTU-0807	
WV 11W-11-8-21	11	080S		4304734276		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1 UTU-0806	
WV 11W-14-8-21	14	080S		4304734277			GW	P		WONSITS VALLEY	710 S	UINTAH	1 UTU-0807	<del></del>
	11	080S		4304734278			GW	APD	С	WONSITS VALLEY	710 S	UINTAH	1 UTU-0806	
	14	080S	210E	4304734279			GW	P	-	WONSITS VALLEY		UINTAH	1 UTU-0807	<del>                                     </del>
A STATE OF THE PARTY OF THE PAR		080S	210E	4304734280		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH		UT-0969
	14	080S	210E	4304734281	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH		UT-0969
	11	080S	210E	4304734282		Federal	GW	APD	С	WONSITS VALLEY	710 S	UINTAH		UT-0969
	14			4304734283	5265	Federal	OW	P		WONSITS VALLEY	710 S	UINTAH		UT-0969
				4304734288		State	GW	APD	C	WONSITS VALLEY	710 S	UINTAH		159261960
	15	080S	210E	4304734289		Federal	GW		C	WONSITS VALLEY	710 S	UINTAH		UT-0969
	16	080S	210E	4304734290		State	GW	APD	С	WONSITS VALLEY	710 S	UINTAH	3 ML-2237	159261960
)	15	080S	210E	4304734291		Federal	GW		C	WONSITS VALLEY	· · · · · · · · · · · · · · · · · · ·	UINTAH		UT-0969
WV 4W-16-8-21	16	080S	210E	4304734292		State	GW			WONSITS VALLEY	710 S	UINTAH	3 ML-2237	159261960
WV 5W-15-8-21	15	080S		4304734293			GW			WONSITS VALLEY		UINTAH		UT-0969
	15	080S		4304734294			GW	P		WONSITS VALLEY		UINTAH		UT-0969
WV 10W-15-8-21	15	080S	210E	4304734295			GW	P		WONSITS VALLEY		UINTAH		UT-0969
The second secon	16	080S	210E	4304734321	12436		GW	DRL		WONSITS VALLEY		UINTAH		04127294
WV 7W-16-8-21	16	080S	210E	4304734322	12436	State	GW	P		WONSITS VALLEY		UINTAH	3 ML-2237	159261960

# SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit name	field	county type	lease #	bond #
WV 8W-16-8-21	16	080S	210E	4304734323		State	GW	APD	·	WONSITS VALLEY		7 51 1	ML-2237	159261960
WV 9W-16-8-21	16	080S	210E	4304734325	12436		GW	P	_	WONSITS VALLEY				159261960
WV 10W-16-8-21	16	080S	210E	4304734326	12436		GW	P	-	WONSITS VALLEY				159261960
WVU 4W-24-8-21	24	080S	210E	4304734330		Federal	GW	P		WONSITS VALLEY			UTU-0810	
WVU 2W-24-8-21	24	080S	210E	4304734337	12.00	Federal	GW	APD	$\overline{c}$	WONSITS VALLEY			UTU-0810	
WVU 6W-24-8-21	24	080S	210E	4304734338		Federal	GW		C	WONSITS VALLEY	<del></del>		UTU-0810	
WVU 8W-23-8-21	23	080S	210E	4304734339	<del>                                     </del>	Federal	GW	APD	$\frac{c}{c}$	WONSITS VALLEY			UTU-0809	
WVU 8W-24-8-21	24	080S	210E	4304734340	12436	Federal	GW	P	<u> </u>	WONSITS VALLEY			UTU-0810	
WV 2G-7-8-22	07	080S	220E	4304734355	12.50	Federal	ow	APD	C	WONSITS VALLEY			UTU-02215	
WV 2W-7-8-22	07	080S	220E	4304734356		Federal	GW	APD		WONSITS VALLEY			UTU-02215	
WV 4G-8-8-22	08	080S	220E	4304734357		Federal	ow	APD		WONSITS VALLEY			UTU-02215	
WV 4WA-18-8-22	18	080S	220E	4304734358	<del> </del>	Federal	GW	APD		WONSITS VALLEY	<del></del>			
WV 4WD-18-8-22	18	080S	220E	4304734359		Federal	GW	APD	C	WONSITS VALLEY				UT-0969
WV 13WA-18-8-22	18	080S	220E	4304734361		Federal	GW		$\frac{c}{C}$	WONSITS VALLEY		<del></del>		UT-0969 UT-0969
WV 13WD-18-8-22	18	080S	220E	4304734362		Federal	GW		C	WONSITS VALLEY				
WV 2WA-18-8-22	18	0808	220E	4304734426	<del></del>	Federal	GW	APD	~	WONSITS VALLEY				UT-0969
WV 2WD-18-8-22	18	080S	220E	4304734427		Federal	GW	APD	~	WONSITS VALLEY				UT-0969
WV 3WA-18-8-22	18	080S	220E	4304734428		Federal	GW	APD		WONSITS VALLEY				UT-0969
WV 3WD-18-8-22	18	080S	220E	4304734429	<del> </del>	Federal	GW	APD	C	WONSITS VALLEY				UT-0969 UT-0969
WV 4W-8-8-22	08	080S	220E	4304734457	<del> </del>	Federal	GW	APD	~	WONSITS VALLEY				
WV 1W-8-8-22	08		220E	4304734467	<del></del>	Federal	GW		$\frac{c}{c}$	WONSITS VALLEY			UTU-02215	
WV 2W-8-8-22	08		220E	4304734468		Federal	GW		C	WONSITS VALLEY			UTU-02215	
WV 8W-7-8-22	07	+	220E	4304734469		Federal		DRL	$\frac{c}{c}$	WONSITS VALLEY			UTU-02215	
WV 8W-22-8-21	22	1	210E	4304734564		Federal	GW	P	$\frac{c}{c}$	WONSITS VALLEY	<del></del>		UTU-02215	
WV 3G-8-8-22	08		220E	4304734596		Federal	ow	TA		WONSITS VALLEY	<del></del>		UTU-0804	
WONSITS VALLEY 1G-7-8-22	07	080S	220E	4304734597		Federal	ow	APD		WONSITS VALLEY				U-0969
WONSITS VALLEY 5G-8-8-22	08	080S	220E	4304734612		Federal	ow	APD	<del></del>	WONSITS VALLEY			U-022158 UTU-02215	U-0969
WONSITS VALLEY 7G-8-8-22	08	080S	220E	4304734613		Federal	ow	APD	$\frac{c}{c}$	WONSITS VALLEY				
WV 11G-8-8-22	08	<del></del>	220E	4304734614		Federal	ow	APD	$\frac{c}{c}$	WONSITS VALLEY			UTU-76508 UTU-0221 <i>5</i>	
WV 13G-8-8-22	08	080S	220E	4304734615		Federal	ow	APD	$\frac{c}{c}$	WONSITS VALLEY			UTU-02215	
VV 15G-7-8-22	07		220E	4304734626		Federal	OW.	APD	$\frac{c}{c}$	WONSITS VALLEY				
WV 11G-7-8-22	07		220E	4304734627		Federal	OW	APD	<del>Č</del>	WONSITS VALLEY			UTU-02215 UTU-02215	
WONSITS VALLEY 7G-7-8-22	07		220E	4304734628		Federal	OW	APD	<del>~</del>	WONSITS VALLEY			UTU-02215	
WONSITS VALLEY 9G-7-8-22	07	080S	220E	4304734629			ow	APD	<del>~</del>	WONSITS VALLEY				
WV EXT 2W-17-8-21				4304734928					$\frac{c}{c}$	WONSITS VALLEY			UTU-02215	
		1		.551751720	12-130	Louciai	J W	DKL	<u> </u>	WONSITS VALLET	010[5]	UINTAH I	UTU-68219	U1-1237

# **OPERATOR CHANGE WORKSHEET**

ROUTING

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed be	low has changed,	effectiv	/e:		2/	1/2003			
FROM: (Old Operator):				TO: ( New (	Operator):				1
N4235-Shenandoah Energy Inc			······ • · ··· ·	N2460-QEP I	Jinta Basin	Inc			1
11002 E 17500 S				11002	E 17500 S				
Vernal, UT 84078-8526				Verna	1, UT 84078	3-8526			
Phone: (435) 781-4341				Phone:	(435) 781-	4341			
	CA No.	<del></del>	··	Unit:	WO	NSITS V	ALLEY U	INIT	1
WELL(S)									1
NAME	SEC	TWN	RNG	API NO	ENTITY	LEASE	WELL	WELL	Conf
					NO	TYPE	TYPE	STATUS	
WVU 144	10	080S	210E	4304731807	5265	Federal	OW	P	-
WVU 137	11			4304731523		Federal	ow	P	$\vdash$
WVFU 14 WG	12			4304733070		Federal	GW	P	T
WVFU 11 WG	12		<del></del>	4304733085		Federal	GW	P	1
WVU 121	14	080S	4	4304731873	5265	Federal	ow	S	1
WVU 133	15	080S	210E	4304731706	5265	Federal	ow	P	$\top$
WVU 134	16	080S	210E	4304731118	5265	State	OW	P	
WVU 141	16	080S	210E	4304731609	5265	State	OW	P	
WVU 127	16	080S	210E	4304731611	5265	State	ow	P	
WVU 142	16	080S	210E	4304731612	5265	State	ow	P	
WVU 135-2	21	080S	210E	4304732016	5265	Federal	ow	P	
WVFU 119	21	080S	210E	4304732461	5265	Federal	OW	P	
WVU 130	22	080S	210E	4304732307	5265	Federal	OW	P	
WVFU 81 WG	24	080S	210E	4304733086	12436	Federal	GW	P	
WVFU 54 WG	07	080S	220E	4304732821	12436	Federal	GW	P	
WVFU 38 WG	08	080S	220E	4304732831	12436	Federal	GW	P	
WVFU 49 WG	08	080S	220E	4304732832	12436	Federal	GW	P	
WVU 145	18	080S	220E	4304731820	12436	Federal	GW	P	
WVFU 69 WG	18	080S	220E	4304732829	12436	Federal	GW	P	
WVFU 138 WG	18	080S	220E	4304733054	12436	Federal	GW	P	
		<u> </u>	<u></u>			<u> </u>	<u> </u>		

#### **OPERATOR CHANGES DOCUMENTATION**

ł	٩n	ter	date	after	each	listed	item	İS	comp	let	tec
1	УII	ιег	uate	anter	eacn	nstea	item	15	comp	ıeı	e

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003

2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 6/2/2003

3. The new company was checked on the Department of Commerce, Division of Corporations Database on: 6/19/2003

4. Is the new operator registered in the State of Utah:

YES Business Number: 5292864-0151

5. If NO, the operator was contacted contacted on:

6. (	6. (R649-9-2)Waste Management Plan has been received on:  IN PLACE	_
7.	7. <b>Federal and Indian Lease Wells:</b> The BLM and or the BIA has approved or operator change for all wells listed on Federal or Indian leases on: 7/21/2003	d the merger, name change,
8.	8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on:	7/21/2003
9.	9. Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on:	n/a
10	10. Underground Injection Control ("UIC") The Division has approved for the enhanced/secondary recovery unit/project for the water disposal well(s) listed of	UIC Form 5, <b>Transfer of Authority to Inject</b> on:n/a
DA	DATA ENTRY:	
1.	1. Changes entered in the Oil and Gas Database on: 9/16/2003	_
2.	2. Changes have been entered on the Monthly Operator Change Spread Sheet on:	9/16/2003
3.	3. Bond information entered in RBDMS on: n/a	<u> </u>
4.	4. Fee wells attached to bond in RBDMS on: n/a	<u>.</u>
ST	STATE WELL(S) BOND VERIFICATION:	
1.	1. State well(s) covered by Bond Number: 965-003-032	<u>2</u>
	FEDERAL WELL(S) BOND VERIFICATION:  1. Federal well(s) covered by Bond Number:  ESB000024	<u> </u>
IN 1.	INDIAN WELL(S) BOND VERIFICATION:  1. Indian well(s) covered by Bond Number:  799446	_
	FEE WELL(S) BOND VERIFICATION:  1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number	965-003-033
	2. The FORMER operator has requested a release of liability from their bond on:  The Division sent response by letter on:  n/a	n/a
	LEASE INTEREST OWNER NOTIFICATION:  3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed of their responsibility to notify all interest owners of this change on: n/a	by a letter from the Division
CC	COMMENTS:	
_		
	·	

# Division of Oil, Gas and Mining

#### OPERATOR CHANGE WORKSHEET

COMMENTS: THIS IS A COMPANY NAME CHANGE.

ROUTING	
1. DJJ	_
2. CDW	_

Change of Operator (Well Sold) X - Operator Name Change/Merger The operator of the well(s) listed below has changed, effective: 1/1/2007 **TO:** ( New Operator): **FROM:** (Old Operator): N5085-Questar E&P Company N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 1050 17th St, Suite 500 Denver, CO 80265 Denver, CO 80265 Phone: 1 (303) 672-6900 Phone: 1 (303) 672-6900 WONSITS VALLEY UNIT CA No. Unit: WELL NAME SEC TWN RNG API NO ENTITY LEASE TYPE WELL WELL NO TYPE **STATUS** SEE ATTACHED LISTS **OPERATOR CHANGES DOCUMENTATION** Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 4/19/2007 4/16/2007 (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 1/31/2005 The new company was checked on the Department of Commerce, Division of Corporations Database on: 3. 4a. Is the new operator registered in the State of Utah: **Business Number:** 764611-0143 5a. (R649-9-2)Waste Management Plan has been received on: IN PLACE 5b. Inspections of LA PA state/fee well sites complete on: n/a 5c. Reports current for Production/Disposition & Sundries on: n/a Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA 7. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007 8. Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on: **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: **DATA ENTRY:** 1. Changes entered in the Oil and Gas Database on: 4/30/2007 and 5/15/2007 Changes have been entered on the Monthly Operator Change Spread Sheet on: 4/30/2007 and 5/15/2007 3. Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007 4. Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007 Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007 6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a **BOND VERIFICATION:** 1. Federal well(s) covered by Bond Number: ESB000024 799446 Indian well(s) covered by Bond Number: 3a. (R649-3-1) The NEW operator of any state/fee well(s) listed covered by Bond Number 965003033 3b. The **FORMER** operator has requested a release of liability from their bond on: LEASE INTEREST OWNER NOTIFICATION: 4. (R649-2-10) The NEW operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 16	WV 16	NENE	15	080S	210E	4304715447	5265	Federal	WI	A
WVU 31	WV 31	NENW	14	080S	210E	4304715460	5265	Federal	WI	A
WVU 35	WV 35	NESW	14	080S	210E	4304715463	5265	Federal	WI	A
WV 36	WV 36	NESW	10	080S	210E	4304715464	5265	Federal	WI	A
WVU 41	WV 41	NENW	15	080S	210E	4304715469	5265	Federal	WI	A
WV 43	WV 43	SWSW	11	080S	210E	4304715471	5265	Federal	OW	P
WV 48	WV 48	SWNE	10	080S	210E	4304715476	5265	Federal	OW	P
WVU 50	WV 50	SWNE	15	080S	210E	4304715477	5265	Federal	WI	A
WV 53	WV 53	SWSE	10	080S	210E	4304720003	5265	Federal	OW	P
WVU 55	WV 55	SWNE	14	080S	210E	4304720005	5265	Federal	OW	P
WVU 59	WV 59	SWNW	14	080S	210E	4304720018	5265	Federal	WI	A
WVU 60	WV 60	SWSE	15	080S	210E	4304720019	5265	Federal	WI	A
WV 62	WV 62	SWSW	10	080S	210E	4304720024	5265	Federal	OW	P
WVU 65	WV 65	SWNW	15	080S	210E	4304720041	5265	Federal	OW	P
WVU 67	WV 67	NESW	15	080S	210E	4304720043	5265	Federal	WI	A
WVU 68	WV 68	NESE	15	080S	210E	4304720047	5265	Federal	WI	A
WVU 83	WV 83 WG	NENW	23	080S	210E	4304720205	14864	Federal	GW	S
WV 97	WV 97	NWSW	11	080S	210E	4304730014	5265	Federal	WI	A
WVU 103	WV 103	NWNW	14	080S	210E	4304730021	5265	Federal	OW	P
WVU 104	WV 104	NWNE	15	080S	210E	4304730022	5265	Federal	OW	P
WV 105	WV 105	SESE	10	080S	210E	4304730023	5265	Federal	OW	P
WVU 109	WV 109	SENE	15	080S	210E	4304730045	5265	Federal	OW	P
WVU 110	WV 110	SENW	14	080S	210E	4304730046	5265	Federal	OW	P
WVU 112	WV 112	SENW	15	080S	210E	4304730048	5265	Federal	OW	P
WVU 124	WV 124	NWSE	15	080S	210E	4304730745	5265	Federal	OW	P
WVU 126	WV 126	NWNE	21	080S	210E	4304730796	5265	Federal	WI	A
WV 128	WV 128	SESW	10	080S	210E	4304730798	5265	Federal	OW	P
WVU 132	WV 132	NWSW	15	080S	210E	4304730822	5265	Federal	OW	P
WVU 136	WV 136	NENW	21	080S	210E	4304731047	5265	Federal	OW	S
WV 137	WV 137	SENW	11	080S	210E	4304731523	5265	Federal	OW	P
WV 28-2	WV 28-2	NESW	11	080S	210E	4304731524	+	Federal	WI	A
WVU 133	WV 133	SESW	15	080S	210E	4304731706	5265	Federal	OW	P
WVU 140	WV 140	NWNW	15	080S	210E	4304731707	-	Federal	WI	A
WV 40-2	WV 40-2	NESE	10	080S	210E	4304731798	-	Federal	WI	A
WVU 144	WV 144	SENE	10	080S	210E	4304731807		Federal	OW	P
WV 143	WV 143	NWSE	10	080S	210E	4304731808	-	Federal	WI	A
WVU 145	WV 145	NWNW	18	080S	220E	4304731820		Federal	GW	P
WVU 121	WV 121	NWSW	14	080S	210E	4304731873		Federal	OW	TA
WVU 135-2	WV 135-2	NENE	21	080S	210E	4304732016	<del> </del>	Federal	OW	P
WVU 130	WV 130	NWNW	22	080S	210E	4304732307	-	Federal	OW	P
WVU 71-2	WV 71-2	SWSW	15	080S	210E	4304732449	<del></del>	Federal	WI	A

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 119	WV 119	NWNW	21	080S	210E	4304732461	5265	Federal	OW	P
WVFU 120	WV 120	NENW	22	080S	210E	4304732462	5265	Federal	WI	A
WVFU 54 WG	WV 54 WG	SWSE	07	080S	220E	4304732821	14864	Federal	GW	P
WVFU 69 WG	WV 69 WG	SWNE	18	080S	220E	4304732829	14864	Federal	GW	P
WVFU 38 WG	WV 38 WG	SWNW	08	080S	220E	4304732831	14864	Federal	GW	P
WVFU 49 WG	WV 49 WG	SWSW	08	080S	220E	4304732832	14864	Federal	GW	P
WVFU 138 WG	WV 138 WG	SWNW	18	080S	220E	4304733054	14864	Federal	GW	P
WVFU 14 WG	WV 14 WG	SWSE	12	080S	210E	4304733070	14864	Federal	GW	P
WVFU 11 WG	WV 11 WG	SWNE	12	080S	210E	4304733085	14864	Federal	GW	P
WVFU 81 WG	WV 81 WG	SWNW	24	080S	210E	4304733086	14864	Federal	GW	P
WVFU 146 WG	WV 146 WG	NWNW	19	080S	220E	4304733128	14864	Federal	GW	P
WVFU 1W-14-8- 21	WV 1W-14-8- 21	NENE	14	080S	210E	4304733220	14864	Federal	GW	P
WVFU 5W-13- 8-21	WV 5W-13- 8-21	SWNW	13	080S	210E	4304733221	14864	Federal	GW	P
WVFU 46 WG	WVFU 46 WG	NESE	07	080S	220E	4304733241	14864	Federal	GW	P
WVFU 9W-14-8-21	WV 9W-14-8-21	NESE	14	080S	210E	4304733269	14864	Federal	GW	P
WVFU 7W-13-8-21	WV 7W-13-8-21	SWNE	13	080S	210E	4304733270	14864	Federal	GW	P
WVFU 1W-18-8-22	WV 1W-18-8-22	NENE	18	080S	220E	4304733294	14864	Federal	GW	P
WVFU 11W-8-8-22	WV 11W-8-8-22	NESW	08	080S	220E	4304733295	14864	Federal	GW	P
WVFU 3W-8-8-22	WV 3W-8-8-22	NENW	08	080S	220E	4304733493	14864	Federal	GW	S
WVFU 5W-7-8-22	WV 5W-7-8-22	SWNW	07	080S	220E	4304733494	14864	Federal	GW	P
WVFU 11W-7-8-22	WV 11W-7-8-22	NESW	07	080S	220E	4304733495	14864	Federal	GW	P
WVFU 13W-7-8-22	WV 13W-7-8-22	SWSW	07	080S	220E	4304733496	14864	Federal	GW	P
WVFU 1W-7-8-22	WV 1W-7-8-22	NENE	. 07	080S	220E	4304733501	14864	Federal	GW	P
WVFU 3W-7-8-22	WV 3W-7-8-22	NENW	07	080S	220E	4304733502	14864	Federal	GW	P
WV 7WRG-7-8-22	WV 7WRG-7-8-22	SWNE	07	080S	220E	4304733503	5265	Federal	OW	P
WVFU 16W-9-8-21	WV 16W-9-8-21	SESE	: 09	080S	210E	4304733529	14864	Federal	GW	P
WVFU 1W-12-8-21	WV 1W-12-8-21	NENE	12	080S	210E	4304733531	14864	Federal	GW	P
WVFU 1W-13-8-21	WV 1W-13-8-21	NENE	13	080S	210E	4304733532	14864	Federal	GW	P
WVFU 3W-18-8-22	WV 3W-18-8-22	NENW	18	080S	220E	4304733533	14864	Federal	GW	P
WVFU 9W-12-8-21	WV 9W-12-8-21	NESE	12	080S	210E	4304733534	14864	Federal	GW	P
WVFU 11W-12-8-21	WV 11W-12-8-21	NESW	12	080S	210E	4304733535	14864	Federal	GW	P
WVFU 11W-13-8-21	WV 11W-13-8-21	NESW	13	080S	210E	4304733536	14864	Federal	GW	P
WVFU 13W-12-8-21	WV 13W-12-8-21	SWSW	12	080S	210E	4304733537	14864	Federal	GW	S
WVFU 13W-18-8-22	WV 13W-18-8-22	SWSW	18	080S	220E	4304733538	14864	Federal	GW	P
WVFU 16G-9-8-21	WV 16G-9-8-21	SESE	09	080S	210E	4304733565	5265	Federal	OW	P
WVFU 1W-21-8-21	WV 1W-21-8-21	NENE	21	080S	210E	4304733602	14864	Federal	GW	P
WVFU 3W-13-8-21	WV 3W-13-8-21	NENW	13	080S	210E	4304733603	14864	Federal	GW	S
WVFU 3W-22-8-21	WV 3W-22-8-21	NENW	22	080S	210E	4304733604	14864	Federal	GW	P
WVFU 3W-24-8-21	WV 3W-24-8-21	NENW	24	080S	210E	4304733605	14864	Federal	GW	P
WVFU 13W-13-8-21	WV 13W-13-8-21	SWSW	13	080S	210E	4304733606	14864	Federal	GW	S
WVFU 13W-14-8-21	WV 13W-14-8-21	SWSW	14	080S	210E	4304733607	14864	Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-13-8-21	WV 15W-13-8-21	SWSE	13	080S	210E	4304733608	14864	Federal	GW	S
WVFU 1W-24-8-21	WV 1W-24-8-21	NENE	24	080S	210E	4304733613	14864	Federal	GW	P
WVFU 11W-18-8-22	WV 11W-18-8-22	NESW	18	080S	220E	4304733626	14864	Federal	GW	P
WV 2W-10-8-21	WV 2W-10-8-21	NWNE	10	080S	210E	4304733655	14864	Federal	GW	Р
WV 4W-11-8-21	WV 4W-11-8-21	NWNW	11	080S	210E	4304733657	14864	Federal	GW	P
WV 12W-10-8-21	WV 12W-10-8-21	NWSW	10	080S	210E	4304733659	14864	Federal	GW	S
WV 12G-10-8-21	WV 12G-10-8-21	NWSW	10	080S	210E	4304733660	5265	Federal	OW	P
WVFU 15W-9-8-21	WV 15W-9-8-21	SWSE	09	080S	210E	4304733661	14864	Federal	GW	P
WVFU 15G-9-8-21	WV 15G-9-8-21	SWSE	09	080S	210E	4304733662	5265	Federal	OW	P
WVFU 2W-13-8-21	WV 2W-13-8-21	NWNE	13	080S	210E	4304733791	14864	Federal	GW	P
WVFU 6W-13-8-21	WV 6W-13-8-21	SENW	13	080S	210E	4304733792	14864	Federal	GW	P
WVFU 8W-13-8-21	WV 8W-13-8-21	SENE	13	080S	210E	4304733793	14864	Federal	GW	P
WV 10W-1-8-21	WV 10W-1-8-21	NWSE	01	080S	210E	4304733794	14864	Federal	GW	TA
WVFU 10W-13-8-21	WV 10W-13-8-21	NWSE	13	080S	210E	4304733795	14864	Federal	GW	P
WVFU 12W-7-8-22	WV 12W-7-8-22	NWSW	07	080S	220E	4304733808	14864	Federal	GW	P
WVFU 6W-8-8-22	WV 6W-8-8-22	SENW	08	080S	220E	4304733811	14864	Federal	GW	P
WVFU 7W-8-8-22	WV 7W-8-8-22	SWNE	08	080S	220E	4304733812	14864	Federal	GW	S
WVFU 10W-7-8-22	WV 10W-7-8-22	NWSE	07	080S	220E	4304733813	14864	Federal	GW	P
WVFU 12W-8-8-22	WV 12W-8-8-22	NWSW	08	080S	220E	4304733815	14864	Federal	GW	P
WVFU 14W-7-8-22	WV 14W-7-8-22	SESW	07	080S	220E	4304733816	14864	Federal	GW	P
WVFU 16W-7-8-22	WV 16W-7-8-22	SESE	07	080S	220E	4304733817	14864	Federal	GW	P
WVFU 6W-7-8-22	WV 6W-7-8-22	SENW	07	080S	220E	4304733828	14864	Federal	GW	P
WVFU 6W-18-8-22	WV 6W-18-8-22	SENW	18	080S	220E	4304733842	14864	Federal	GW	P
WVFU 6WC-18-8-22	WV 6WC-18-8-22	SENW	18	080S	220E	4304733843	14864	Federal	GW	P
WVFU 6WD-18-8-22	WV 6WD-18-8-22	SENW	18	080S	220E	4304733844	14864	Federal	GW	P
WVFU 5W-23-8-21	WV 5W-23-8-21	SWNW	23	080S	210E	4304733860	14864	Federal	GW	P
WVFU 7W-23-8-21	WV 7W-23-8-21	SWNE	23	080S	210E	4304733861	14864	Federal	GW	P
WVFU 8W-12-8-21	WV 8W-12-8-21	SENE	12	080S	210E	4304733862	14864	Federal	GW	P
WVFU 10W-12-8-21	WV 10W-12-8-21	NWSE	12	080S	210E	4304733863	14864	Federal	GW	P
WVFU 14W-12-8-21	WV 14W-12-8-21	SESW	12	080S	210E	4304733864	14864	Federal	GW	P
WVFU 16W-12-8-21	WV 16W-12-8-21	SESE	12	080S	210E	4304733865	14864	Federal	GW	P
WVFU 1W-15-8-21	WV 1W-15-8-21	NENE	15	080S	210E	4304733902	14864	Federal	GW	S
WVFU 1W-22-8-21	WV 1W-22-8-21	NENE	22	080S	210E	4304733903	14864	Federal	GW	P
WVFU 1W-23-8-21	WV 1W-23-8-21	NENE	23	080S	210E	4304733904	14864	Federal	GW	P
WV 6W-11-8-21	WV 6W-11-8-21	SENW	11	080S	210E	4304733906	14864	Federal	GW	P
WVFU 7W-24-8-21	WV 7W-24-8-21	SWNE	24	080S	210E	4304733908		Federal	GW	P
WV 10W-11-8-21	WV 10W-11-8-21	NWSE	11	080S	210E	4304733910		Federal	GW	P
WVFU 11W-15-8-21	WV 11W-15-8-21	NESW	15	080S	210E	4304733911		Federal	GW	P
WV 13W-11-8-21	WV 13W-11-8-21	SWSW	11	080S	210E	4304733913		Federal	GW	S
WVFU 13W-15-8-21	WV 13W-15-8-21	SWSW	15	080S	210E	4304733914		Federal	GW	P
WV 15W-10-8-21	WV 15W-10-8-21	SWSE	10	080S	210E	4304733916		Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-15-8-21	WV 15W-15-8-21	SWSE	15	080S	210E	4304733917	14864	Federal	GW	P
WVFU 5W-14-8-21	WV 5W-14-8-21	SWNW	14	080S	210E	4304733953	14864	Federal	GW	P
WVFU 7W-14-8-21	WV 7W-14-8-21	SWNE	14	080S	210E	4304733955	14864	Federal	GW	P
WV 8W-11-8-21	WV 8W-11-8-21	SENE	11	080S	210E	4304733957	14864	Federal	GW	S
WVFU 8W-14-8-21	WV 8W-14-8-21	SENE	14	080S	210E	4304733958	14864	Federal	GW	P
WVFU 9W-15-8-21	WV 9W-15-8-21	NESE	15	080S	210E	4304733959	14864	Federal	GW	P
WVFU 12W-13-8-21	WV 12W-13-8-21	NWSW	13	080S	210E	4304733961	14864	Federal	GW	P
WVFU 14W-13-8-21	WV 14W-13-8-21	SESW	13	080S	210E	4304733962	14864	Federal	GW	P
WVFU 15W-14-8-21	WV 15W-14-8-21	SWSE	14	080S	210E	4304733963	14864	Federal	GW	P
WVFU 2W-18-8-22	WV 2W-18-8-22	NWNE	18	080S	220E	4304733986	14864	Federal	GW	P
WV 8W-18-8-22	WV 8W-18-8-22	SENE	18	080S	220E	4304733989	14864	Federal	GW	P
WVFU 10W-18-8-22	WV 10W-18-8-22	NWSE	18	080S	220E	4304733991	14864	Federal	GW	P
WVFU 12W-18-8-22	WV 12W-18-8-22	NWSW	18	080S	220E	4304733993	14864	Federal	GW	P
WV 14W-18-8-22	WV 14W-18-8-22	SESW	18	080S	220E	4304733995	14864	Federal	GW	P
WVFU 8W-1-8-21	WV 8W-1-8-21	SENE	01	080S	210E	4304734009	14864	Federal	GW	DRL
WV 4W-17-8-22	WV 4W-17-8-22	NWNW	17	080S	220E	4304734038	14864	Federal	GW	P
WV 12G-1-8-21	WV 12G-1-8-21	NWSW	01	080S	210E	4304734108	5265	Federal	OW	TA
WV 2W-14-8-21	WV 2W-14-8-21	NWNE	14	080S	210E	4304734140	14864	Federal	GW	P
GH 2W-21-8-21	GH 2W-21-8-21	NWNE	21	080S	210E	4304734141	14864	Federal	GW	P
WV 2W-23-8-21	WV 2W-23-8-21	NWNE	23	080S	210E	4304734142	14864	Federal	GW	P
GH 3W-21-8-21	WV 3W-21-8-21	NENW	21	080S	210E	4304734143	14864	Federal	GW	P
WV 4W-13-8-21	WV 4W-13-8-21	NWNW	13	080S	210E	4304734144	14864	Federal	GW	P
GH 4W-21-8-21	WV 4W-21-8-21	NWNW	21	080S	210E	4304734145	14864	Federal	GW	P
WV 4W-22-8-21	WV 4W-22-8-21	NWNW	22	080S	210E	4304734146	14864	Federal	GW	P
WV 16W-11-8-21	WV 16W-11-8-21	SESE	11	080S	210E	4304734155	14864	Federal	GW	TA
WV 3W-19-8-22	WV 3W-19-8-22	NENW	19	080S	220E	4304734187	14864	Federal	GW	P
WV 4W-23-8-21	WV 4W-23-8-21	NWNW	23	080S	210E	4304734188	14864	Federal	GW	P
WV 6W-23-8-21	WV 6W-23-8-21	SENW	23	080S	210E	4304734189	14864	Federal	GW	P
WV 2W-15-8-21	WV 2W-15-8-21	NWNE	15	080S	210E	4304734242	14864	Federal	GW	P
WV 2W-22-8-21	WV 2W-22-8-21	NWNE	22	080S	210E	4304734243	14864	Federal	GW	P
WV 4W-14-8-21	WV 4W-14-8-21	NWNW	14	080S	210E	4304734244	14864	Federal	GW	P
WV 6W-12-8-21	WV 6W-12-8-21	SENW	12	080S	210E	4304734245	5265	Federal	GW	S
WV 7W-15-8-21	WV 7W-15-8-21	SWNE	15	080S	210E	4304734246	14864	Federal	GW	P
WV 8W-15-8-21	WV 8W-15-8-21	SENE	15	080S	210E	4304734247	14864	Federal	GW	P
WV 12W-12-8-21	WV 12W-12-8-21	NWSW	12	080S	210E	4304734248	14864	Federal	GW	S
WV 14W-15-8-21	WV 14W-15-8-21	SESW	15	080S	210E	4304734249	14864	Federal	GW	P
WV 16W-10-8-21	WV 16W-10-8-21	SESE	10	080S	210E	4304734250	14864	Federal	GW	P
WV 16W-15-8-21	WV 16W-15-8-21	SESE	15	080S	210E	4304734251	14864	Federal	GW	P
WV 2W-12-8-21	WV 2W-12-8-21	NWNE	12	080S	210E	4304734265	14864	Federal	GW	OPS
WV 3W-12-8-21	WV 3W-12-8-21	NENW	12	080S	210E	4304734267	14864	Federal	GW	OPS
WV 4W-12-8-21	WV 4D-12-8-21	NWNW	12	080S	210E			Federal	GW	DRL

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 5W-12-8-21	WV 5W-12-8-21	SWNW	12	080S	210E	4304734270	14864	Federal	GW	OPS
WV 6W-14-8-21	WV 6W-14-8-21	SENW	14	080S	210E	4304734271	14864	Federal	GW	P
WV 9W-11-8-21	WV 9W-11-8-21	NESE	11	080S	210E	4304734274	14864	Federal	GW	DRL
WV 10W-14-8-21	WV 10W-14-8-21	NWSE	14	080S	210E	4304734275	14864	Federal	GW	S
WV 11W-14-8-21	WV 11W-14-8-21	NESW	14	080S	210E	4304734277	14864	Federal	GW	P
WV 12W-14-8-21	WV 12W-14-8-21	NWSW	14	080S	210E	4304734279	14864	Federal	GW	S
WV 14M-11-8-21	WV 14M-11-8-21	SESW	11	080S	210E	4304734280	14864	Federal	GW	P
WV 14W-14-8-21	WV 14W-14-8-21	SESW	14	080S	210E	4304734281	14864	Federal	GW	P
WV 16W-14-8-21	WV 16G-14-8-21	SESE	14	080S	210E	4304734283	5265	Federal	OW	S
WV 3MU-15-8-21	WV 3MU-15-8-21	NENW	15	080S	210E	4304734289	14864	Federal	GW	P
WV 4MU-15-8-21	WV 4MU-15-8-21	NWNW	15	080S	210E	4304734291	14864	Federal	GW	P
WV 5MU-15-8-21	WV 5MU-15-8-21	SWNW	15	080S	210E	4304734293	14864	Federal	GW	P
WV 6W-15-8-21	WV 6W-15-8-21	SENW	15	080S	210E	4304734294	14864	Federal	GW	P
WV 10W-15-8-21	WV 10W-15-8-21	NWSE	15	080S	210E	4304734295	14864	Federal	GW	P
WVU 4W-24-8-21	WV 4W-24-8-21	NWNW	24	080S	210E	4304734330	14864	Federal	GW	P
WV 8M-23-8-21	WV 8M-23-8-21	SENE	23	080S	210E	4304734339	14864	Federal	GW	P
WVU 8W-24-8-21	WV 8W-24-8-21	SENE	24	080S	210E	4304734340	14864	Federal	GW	P
WV 2W-8-8-22	WV 2W-8-8-22	NWNE	08	080S	220E	4304734468	14864	Federal	GW	P
WV 8W-7-8-22	WV 8W-7-8-22	SENE	07	080S	220E	4304734469	14864	Federal	GW	S
WV 8W-22-8-21	WV 8W-22-8-21	SENE	22	080S	210E	4304734564	14864	Federal	GW	P
WV 3G-8-8-22	WV 3G-8-8-22	NENW	08	080S	220E	4304734596	5265	Federal	OW	TA
WV 14MU-10-8-21	WV 14MU-10-8-21	SESW	10	080S	210E	4304735879	14864	Federal	GW	P
WV 13MU-10-8-21	WV 13MU-10-8-21	SWSW	10	080S	210E	4304736305	14864	Federal	GW	P
WV 3DML-13-8-21	WV 3D-13-8-21	SENW	13	080S	210E	4304737923	14864	Federal	GW	DRL
WV 14DML-12-8-21	WV 14DML-12-8-21	SESW	12	080S	210E	4304737924	14864	Federal	GW	DRL
WV 15AML-12-8-21	WV 15AML-12-8-21	NWSE	12	080S	210E	4304737925		Federal	GW	APD
WV 13DML-10-8-21	WV 13DML-10-8-21	SWSW	10	080S	210E	4304737926	14864	Federal	GW	P
WV 4DML-15-8-21	WV 4DML-15-8-21	NWNW	15	080S	210E	4304737927	14864	Federal	GW	DRL
WV 13AD-8-8-22	WV 13AD-8-8-22	SWSW	08	080S	220E	4304737945		Federal	GW	APD
WV 11AML-14-8-21	WV 11AD-14-8-21	NWSE	14	080S	210E	4304738049	15899	Federal	GW	APD
WV 11DML-14-8-21	WV 11DML-14-8-21	SESW	14	080S	210E	4304738050		Federal	GW	APD
WV 4AML-19-8-22	WV 4AML-19-8-22	NWNW	19	080S	220E	4304738051		Federal	GW	APD
WV 13CML-8-8-22	WV 13CML-8-8-22	SWSW	08	080S	220E	4304738431		Federal	GW	APD
WV 13BML-18-8-22	WV 13BML-18-8-22	SWSW	18	080S	220E	4304738432		Federal	GW	APD
WV 8BML-18-8-22	WV 8BML-18-8-22	E/NE	18	080S	220E	4304738433		Federal	GW	APD
WV 6ML-24-8-21	WV 6-24-8-21	SENW	24	080S	210E	4304738663		Federal	GW	APD
WV 2ML-24-8-21	WV 2ML-24-8-21	NWNE	24	080S	210E	4304738664		Federal	GW	APD
WV 1DML-13-8-21	WV 1DML-13-8-21	NENE	13	080S	210E	4304738733		Federal	GW	APD
WV 4DML-13-8-21	WV 4DML-13-8-21	NWNW	13	080S	210E	4304738734		Federal	GW	APD
WV 3AML-14-8-21	WV 3AML-14-8-21	NENW	14	080S	210E	4304738736		Federal	GW	APD
WV 16CML-14-8-21	WV 16C-14-8-21	SESE	14	080S	210E	4304738737		Federal	GW	APD

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity Lease	Well Type	Status
WVU 21	WV 21	NENE	16	080S	210E	4304715452	99990 State	WI	A
WVU 32	WV 32	NENW	16	080S	210E	4304716513	5265 State	OW	P
WVU 72	WV 72	SWSW	16	080S	210E	4304720058	99990 State	WI	A
WVU 73	WV 73	NESE	16	080S	210E	4304720066	5265 State	WI	A
WVU 74	WV 74	SWSE	16	080S	210E	4304720078	5265 State	OW	P
WVU 75	WV 75	SWNE	16	080S	210E	4304720085	5265 State	OW	P
WVU 78	WV 78	NESW	16	080S	210E	4304720115	99990 State	WI	A
WVU 134	WV 134	SESE	16	080S	210E	4304731118	5265 State	OW	P
WVU 141	WV 141	NWSE	16	080S	210E	4304731609	5265 State	OW	P
WVU 127	WV 127	SENE	16	080S	210E	4304731611	5265 State	OW	P
WVU 142	WV 142	SESW	16	080S	210E	4304731612	5265 State	OW	P
WVFU 9W-13-8-21	WV 9W-13-8-21	NESE	13	080S	210E	4304733223	14864 State	GW	S
WVFU 2W-16-8-21	WV 2W-16-8-21	NWNE	16	080S	210E	4304733246	14864 State	GW	P
WVFU 2G-16-8-21	WV 2G-16-8-21	NWNE	16	080S	210E	4304733247	5265 State	OW	P
WVFU 6W-16-8-21	WV 6W-16-8-21	SENW	16	080S	210E	4304733527	14864 State	GW	P
WVFU 6G-16-8-21	WV 6G-16-8-21	SENW	16	080S	210E	4304733564	5265 State	OW	P
WVFU 16W-2-8-21	WV 16W-2-8-21	SESE	02	080S	210E	4304733645	5265 State	OW	S
WVFU 9W-2-8-21	WV 9W-2-8-21	NESE	02	080S	210E	4304733648	14864 State	GW	P
WVFU 12W-16-8-21	WV 12W-16-8-21	NWSW	16	080S	210E	4304733649	14864 State	GW	P
WVFU 12G-16-8-21	WV 12G-16-8-21	NWSW	16	080S	210E	4304733650	5265 State	OW	P
WVFU 16W-13-8-21	WV 16W-13-8-21	SESE	13	080S	210E	4304733796	14864 State	GW	P
WV 10G-2-8-21	WV 10G-2-8-21	NWSE	02	080S	210E	4304734035	5265 State	OW	P
WV 14G-2-8-21	WV 14G-2-8-21	SESW	02	080S	210E	4304734036	5265 State	OW	P
WV 13G-2-8-21	WV 13G-2-8-21	SWSW	02	080S	210E	4304734068	5265 State	OW	P
WV 5G-16-8-21	WV 5G-16-8-21	SWNW	16	080S	210E	4304734107	5265 State	OW	Р
WV 11W-16-8-21	WV 11W-16-8-21	NESW	16	080S	210E	4304734190	14864 State	GW	P
WV 13W-16-8-21	WV 13W-16-8-21	SWSW	16	080S	210E	4304734191	14864 State	GW	P
WV 14W-16-8-21	WV 14W-16-8-21	SESW	16	080S	210E	4304734192	14864 State	GW	P
WV 15W-16-8-21	WV 15W-16-8-21	SWSE	16	080S	210E	4304734224	14864 State	GW	P
WV 16W-16-8-21	WV 16W-16-8-21	SESE	16	080S	210E	4304734225	14864 State	GW	P
WV 1MU-16-8-21	WV 1MU-16-8-21	NENE	16	080S	210E	4304734288	14864 State	GW	P
WV 3W-16-8-21	WV 3W-16-8-21	NENW	16	080S	210E	4304734290	State	GW	LA
WV 4W-16-8-21	WV 4W-16-8-21	NWNW	16	080S	210E	4304734292	12436 State	D	PA
WVU 5W-16-8-21	WV 5W-16-8-21	SWNW	16	080S	210E	4304734321	14864 State	GW	P
WV 7W-16-8-21	WV 7W-16-8-21	SWNE	16	080S	210E	4304734322	14864 State	GW	P
WV 8ML-16-8-21	WV 8ML-16-8-21	SENE	16	080S	210E	4304734323	14864 State	GW	P
WV 9W-16-8-21	WV 9W-16-8-21	NESE	16	080S	210E	4304734325	14864 State	GW	P
WV 10W-16-8-21	WV 10W-16-8-21	NWSE	16	080S	210E	4304734326	14864 State	GW	P
WV 12BML-16-8-21	WV 12BML-16-8-21	SWNW	16	080S	210E	4304737824	14864 State	GW	P
WV 12DML-16-8-21	WV 12D-16-8-21	NWSW	16	080S	210E	4304737870	State	GW	APD
WV 15CML-16-8-21	WV 15CML-16-8-21	SESW	16	080S	210E	4304737871	14864   State	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 15DML-16-8-21	WV 15DML-16-8-21	SWSE	16	080S	210E	4304737872		State	GW	APD
WV 16DML-13-8-21	WV 16DML-13-8-21	SESE	13	080S	210E	4304738735		State	GW	APD

STATE OF UTAH FORM 9
DEPARTMENT OF NATURAL RESOURCES

,	DIVISION OF OIL, GAS AND MI		ı	E LEAS	SE DESIGNATION AND SERIAL NUMBER:
•	JIVISION OF OIL, GAS AND WI	INING		I .	attached
SUNDRY	NOTICES AND REPORTS	S ON WEL	LS	4	DIAN, ALLOTTEE OR TRIBE NAME: attached
Do not use this form for proposals to drill no	ew wells, significantly deepen existing wells below cur tterals. Use APPLICATION FOR PERMIT TO DRILL t	rrent bottom-hole dep	th, reenter plugged wells, or to		or CA AGREEMENT NAME: attached
1. TYPE OF WELL OIL WELL	process and the second	ioni ioi suon proposa		1	L NAME and NUMBER:
2. NAME OF OPERATOR:					attached
	N AND PRODUCTION COMPAN	NY		attac	and the second s
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CIT	, Denver STATE CO ZIP	80265	PHONE NUMBER: (303) 308-3068	10. FIE	D AND POOL, OR WILDCAT:
4. LOCATION OF WELL  FOOTAGES AT SURFACE: attache	ed.			COUNT	r: Uintah
TOOMOLOM COMMOL. CARCOM	, ,			000,11	· Ontan
QTR/QTR, SECTION, TOWNSHIP, RANG	GE, MERIDIAN:			STATE:	UTAH
11. CHECK APPE	ROPRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	RT, OF	R OTHER DATA
TYPE OF SUBMISSION		Т	YPE OF ACTION		
NOTICE OF INTENT	ACIDIZE	DEEPEN			REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE	TREAT		SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	☐ NEW CONS	TRUCTION		TEMPORARILY ABANDON
1/1/2007	CHANGE TO PREVIOUS PLANS	OPERATOR	. CHANGE		TUBING REPAIR
	CHANGE TUBING	PLUG AND	ABANDON		VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	:		WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION	ON (START/RESUME)		WATER SHUT-OFF
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMAT	ION OF WELL SITE	Z	отнея: Operator Name
<del></del>	CONVERT WELL TYPE	RECOMPLE	TE - DIFFERENT FORMATION		Change
12. DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all p	ertinent details inc	uding dates, depths, volume	es, etc.	
AND PRODUCTION COM change of operator is invol on the attached list. All op Federal Bond Number: 96 Utah State Bond Number: Fee Land Bond Number:	965003033 , QEP UINTA BASIN, INC., herel	ves only an incontinue to be red by bond (SB000024) by resigns as	nternal corporate nar e responsible for ope numbers: s operator of the prop	me cha erations perties	ange and no third party s of the properties described as described on the
	ord, QUESTAR EXPLORATION or of the properties as described on the properties as described on the properties as described of the properties as described on	AND PRODU on the attach		, hereb dent	y assumes all rights, duties
NAME (PLEASE PRINT) Debra K. S	Stanberry )	TITL	Supervisor, Regu	latory	Affairs
SIGNATURE .	3 Handery	DATI	<sub>=</sub> 3/16/2007		
7			-		

FECEIVED

APR 1 9 2007

(This space for State use only)

### STATE OF UTAH

FORM 9

	DEPARTMENT OF NATURAL RESOU	IRCES		
	DIVISION OF OIL, GAS AND M	INING		5. LEASE DESIGNATION AND SERIAL NUMBER: See attached
SUNDRY	NOTICES AND REPORT	S ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
Do not use this form for proposals to drill r drill horizontal l	new wells, significantly deepen existing wells below cu aterals Use APPLICATION FOR PERMIT TO DRILL	rrent bottom-hole depth, reen form for such proposals.	ter plugged wells, or to	7. UNIT or CA AGREEMENT NAME: see attached
1 TYPE OF WELL OIL WELL	GAS WELL OTHER			8. WELL NAME and NUMBER: see attached
2. NAME OF OPERATOR:				9. API NUMBER:
	N AND PRODUCTION COMPA			attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500	Denver STATE CO ZIF		E NUMBER: 3) 308-3068	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: attach	ed			COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN:			STATE: UTAH
11. CHECK APPI	ROPRIATE BOXES TO INDICAT	TE NATURE OF N	IOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION			F ACTION	
	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE TREAT		SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCT		TEMPORARILY ABANDON
1/1/2007	CHANGE TO PREVIOUS PLANS	OPERATOR CHANG		TUBING REPAIR
17172007	CHANGE TUBING	PLUG AND ABANDO		
SUBSEQUENT REPORT			JN	VENT OR FLARE
(Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK		WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS	PRODUCTION (STA	·	WATER SHUT-OFF
	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF	WELL SITE	✓ OTHER: Well Name Changes
	CONVERT WELL TYPE	RECOMPLETE - DIF	FERENT FORMATION	
12. DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all p	pertinent details including	dates, depths, volumes,	, etc.
PER THE ATTACHED LIS	ST OF WELLS, QUESTAR EXPL ES BE UPDATED IN YOUR REC	ORATION AND P	RODUCTION CO	OMPANY REQUESTS THAT THE
NAME (PLEASE PRINT) Debra K. S	Stapberry 1	<sub>TITLE</sub> SU	ıpervisor, Regula	atory Affairs
SIGNATURE /	Shelen		17/2007	
		TOALE		
This space for State use only)				The second secon

PECEIVED

APR 1.9 2007



### United States Department of the Interior

#### **BUREAU OF LAND MANAGEMENT**

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155



IN REPLY REFER TO 3180 UT-922

April 23, 2007

Questar Exploration and Production Company 1050 17th Street, Suite 500 Denver, Colorado 80265

Re:

Wonsits Valley Unit Uintah County, Utah

#### Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble Acting Chief, Branch of Fluid Minerals

**Enclosure** 

bcc: Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining

File - Wonsits Valley Unit (w/enclosure)

Agr. Sec. Chron Reading File

Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 3 0 2007

DIV. OF OIL, GAS & MINING

### Division of Oil, Gas and Mining

### OPERATOR CHANGE WORKSHEET

(for state use only)

R	DUTING	
	CDW	

Change of Operator (Well Sold)				Х-	Operator	Name Chang	ge				
The operator of the well(s) listed below has char	nged,	effectiv	/e:			6/14/2010					
FROM: (Old Operator): N5085-Questar Exploration and Production Comp 1050 17th St, Suite 500 Denver, CO 80265	any			TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265							
Phone: 1 (303) 308-3048				Phone: 1 (303	) 308-3048						
CA No.				Unit:		WONSITS	VALLEY				
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS			
SEE ATTACHED											
L		<u> </u>	L	<u> </u>	<del></del>		<u> </u>	<u></u>			
OPERATOR CHANGES DOCUMENT Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation w 2. (R649-8-10) Sundry or legal documentation w	as rec	eived f		-		6/28/2010					
3. The new company was checked on the <b>Depart</b>				^			-	6/24/2010			
4a. Is the new operator registered in the State of		0. 00.		Business Numb	-	764611-0143		0/21/2010			
5a. (R649-9-2)Waste Management Plan has been r	eceive	ed on:		Requested			-				
5b. Inspections of LA PA state/fee well sites comp				n/a	<del>-</del>						
5c. Reports current for Production/Disposition &				ok	_						
6. Federal and Indian Lease Wells: The Bi					_						
or operator change for all wells listed on Feder	ral or	Indian	leases (	on:	BLM	_ 8/16/2010	BIA	not yet			
7. Federal and Indian Units:	•										
The BLM or BIA has approved the successor		_			n:	8/16/2010	-				
8. Federal and Indian Communization Ag	-		•	-		27/4					
The BLM or BIA has approved the operator						N/A	- 				
9. Underground Injection Control ("UIC	•						-				
<b>Inject,</b> for the enhanced/secondary recovery u <b>DATA ENTRY:</b>	nit/pro	oject ic	or the w	ater disposal w	en(s) nstea (	on:	6/29/2010	<u>'</u>			
1. Changes entered in the Oil and Gas Database	on.			6/30/2010							
2. Changes have been entered on the <b>Monthly O</b>		tor Cha	ange Si			6/30/2010					
3. Bond information entered in RBDMS on:	perac	or on		6/30/2010	, •		-				
4. Fee/State wells attached to bond in RBDMS o	n:			6/30/2010	_						
5. Injection Projects to new operator in RBDMS	on:			6/30/2010							
6. Receipt of Acceptance of Drilling Procedures	for A	PD/Nev	w on:		n/a						
<b>BOND VERIFICATION:</b>											
1. Federal well(s) covered by Bond Number:				ESB000024							
2. Indian well(s) covered by Bond Number:				965010693							
3a. (R649-3-1) The <b>NEW</b> operator of any state/f	ee we	ll(s) lis	ted cov	vered by Bond 1	Number	965010695					
3b. The <b>FORMER</b> operator has requested a relea	se of i	liability	from t	their bond on:	<u>n/a</u>	_	-				
LEASE INTEREST OWNER NOTIFIC	CAT	ION:									
4. (R649-2-10) The NEW operator of the fee well	s has	been c	ontacte	d and informed	by a letter f	rom the Division					
of their responsibility to notify all interest own	ers of	this ch	ange or	n:	n/a						
COMMENTS:											

## STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING 5. LEASE DESIGNATION AND SERIAL NUMBER: See attached SUNDRY NOTICES AND REPORTS ON WELLS 6. IF INDIAN, ALLOTTEE OR TRIBE NAME See attached Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 7. UNIT or CA AGREEMENT NAME See attached 1 TYPE OF WELL 8. WELL NAME and NUMBER: OIL WELL GAS WELL OTHER See attached 2 NAME OF OPERATOR: 9. API NUMBER: NJ085 Questar Exploration and Production Company Attached 3 ADDRESS OF OPERATOR: PHONE NUMBER: 10. FIELD AND POOL, OR WILDCAT: 1050 17th Street, Suite 500 Denver 710 **80265** CO (303) 672-6900 See attached 4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached COUNTY: Attached QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: **UTAH** CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE DEEPEN  $\checkmark$ NOTICE OF INTENT REPERFORATE CURRENT FORMATION (Submit in Duplicate) ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL Approximate date work will start: CASING REPAIR **NEW CONSTRUCTION** TEMPORARILY ABANDON 6/14/2010 CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TURING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLARE SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK WATER DISPOSAL (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: Operator Name CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION Change DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers: Federal Bond Number: 965002976 (BLM Reference No. ESB000024) N3700 Utah State Bond Number: 965003033 9650/0695 Fee Land Bond Number: 965003033 9650/0695BIA Bond Number: 799446 9650/0693 The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list Morgan Anderson NAME (PLEASE PRINT Regulatory Affairs Analyst 6/23/2010 (This space for State use only)

RECEIVED
JUN 2 8 2010

DIV. OF OIL, GAS & MINING

(See Instructions on Reverse Side)

Carlene Kussell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

well_name	sec	twp	rng	api	entity	mineral	type	stat	С
						lease	F		
WV 43	11	080S	210E	4304715471	5265	Federal	OW	P	
WV 48	10	080S		4304715476	5265	Federal	OW	P	
WV 53	10	080S	210E	4304720003	5265	Federal	OW	P	-
WV 55	14	080S	210E	4304720005	5265	Federal	OW	P	
WV 62	10	080S		4304720024	5265	Federal	OW	P	
WV 65	15	080S		4304720041	5265	Federal	OW	P	
WV 83 WG	23	080S		4304720205	17123	Federal	GW	P	
WV 103	14	080S		4304730021	5265	Federal	OW	P	-
WV 104	15	080S		4304730022	5265	Federal	OW	P	-
WV 105	10	080S		4304730023	5265	Federal	ow	P	
WV 109	15	·		4304730045	5265	Federal	OW	P	
WV 110	14			4304730046	5265	Federal	OW	P	
WV 112	15			4304730048	5265	Federal	OW	P	-
WV 124	15			4304730745	5265	Federal	OW	P	
WV 128	10			4304730798	5265	Federal	OW	P	
WV 132	15			4304730798	5265	<del> </del>			
WV 136	21			4304730822	5265	·	OW	P	
WV 137	11			4304731047		Federal	OW	S	
WV 133	15			4304731323	5265	Federal	OW	P	
WV 144	10			4304731706	5265	Federal	OW	P	ļ
WV 145	18				5265	Federal	OW	P	
WV 121	14			4304731820	17123		GW	P	
WV 135-2				4304731873	5265	Federal	OW	TA	
WV 130	21			4304732016	5265		OW	P	
WV 119	22			4304732307	5265	Federal		P	
WV 54 WG	21			4304732461	5265	Federal		P	
WV 69 WG	07			4304732821	17123	Federal	***********	P	
WV 38 WG	18			4304732829	17123			P	
WV 49 WG	08			4304732831	17123			P	
WV 138 WG				4304732832	17123			P	
WV 14 WG				4304733054	17123			P	
WV 11 WG	12			4304733070	17123			P	
WV 81 WG	12			4304733085	17123	Federal	GW	P	
WV 146 WG				4304733086	17123			S	
WV 1W-14-8-21				4304733128	17123	Federal	GW	P	
				4304733220	17123		GW	P	
WV 5W-13- 8-21				4304733221	17123	Federal	GW	P	
WVFU 46 WG				4304733241	17123	Federal	GW	P	
WV 9W-14-8-21				4304733269	17123	Federal	GW	P	
WV 7W-13-8-21				4304733270	17123	Federal	GW	P	
WV 1W-18-8-22				4304733294	17123	Federal	GW	P	
WV 11W-8-8-22				4304733295	17123	Federal	GW	P	
WV 3W-8-8-22				1304733493	17123	Federal	GW	S	
WV 5W-7-8-22				1304733494	17123			S	
WV 11W-7-8-22				1304733495	17123			P	
WV 13W-7-8-22				1304733496	17123			P	
WV 1W-7-8-22				1304733501	17123			P	
WV 3W-7-8-22	07	080S	220E 4	1304733502	17123		******	P	
WV 7WRG-7-8-22				1304733503	5265			P	
WV 16W-9 <b>-</b> 8-21				304733529	17123			P	

well_name	sec	twp	rng	api	entity	mineral	type	stat	C
WW 1W 10 0 01						lease			
WV 1W-12-8-21	12	080S		4304733531	17123	Federal	GW	S	
WV 1W-13-8-21	13	080S		4304733532	17123	Federal	GW	S	
WV 3W-18-8-22	18			4304733533	17123	Federal	GW	P	
WV 9W-12-8-21	12			4304733534	17123	Federal	GW	P	
WV 11W-12-8-21	12			4304733535	17123	Federal	GW	P	
WV 11W-13-8-21	13	080S		4304733536	17123	Federal	GW	P	
WV 13W-12-8-21	12	080S		4304733537	17123	Federal	GW	S	
WV 13W-18-8-22	18	080S	220E	4304733538	17123	Federal	GW	P	
WV 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P	
WV 1W-21-8-21	21			4304733602	17123	Federal	GW	P	
WV 3W-13-8-21	13	080S	210E	4304733603	17123	Federal	GW	S	
WV 3W-22-8-21	22	080S	210E	4304733604	17123	Federal	GW	P	
WV 3W-24-8-21	24	080S	210E	4304733605	17123	Federal	GW	P	
WV 13W-14-8-21	14	080S	210E	4304733607	17123	Federal	GW	P	-
WV 1W-24-8-21	24			4304733613	17123	Federal	GW.	P	
WV 11W-18-8-22	18			4304733626	17123	Federal		P	-
WV 2W-10-8-21				4304733655	17123	Federal	GW	P	
WV 4W-11-8-21				4304733657	17123	Federal	GW	P	
WV 12W-10-8-21				4304733659	17123	Federal	GW	S	+
WV 12G-10-8-21				4304733660	5265	Federal	<del></del>	P	-
WV 15W-9-8-21				4304733661	17123	Federal		P	
WV 15G-9-8-21				4304733662	5265		OW	P	
WV 2W-13-8-21				4304733791	17123		GW	P	
WV 6W-13-8-21				4304733792	17123			P	
WV 8W-13-8-21				4304733792	17123			P P	
WV 10W-1-8-21				4304733794	17123	Federal	GW		-
WV 10W-13-8-21				4304733794	17123		GW GW	TA P	
WV 12W-7-8-22				4304733793	17123			P P	-
WV 6W-8-8-22				4304733808	17123			P P	
WV 7W-8-8-22		**********		4304733811	17123		****	P P	<u> </u>
WV 10W-7-8-22				4304733812	17123			P P	
WV 12W-8-8-22				4304733815	17123		******************	P P	
WV 14W-7-8-22				4304733815	17123			P	
WV 16W-7-8-22				4304733810	17123				
WV 6W-7-8-22				1304733817	17123	Federal		P	
WV 6W-18-8-22				1304733842				P	
WV 6WC-18-8-22				1304733842	17123			<u>P</u>	-
WV 6WD-18-8-22				1304733844	17123			<u>P</u>	1
WV 5W-23-8-21				1304 <i>7</i> 33844 1304733860	17123			P	ļ
WV 7W-23-8-21					17123			<u>P</u>	
WV 8W-12-8-21				1304733861 1304733862	17123			P	
WV 10W-12-8-21					17123			<u>P</u>	ļ
WV 14W-12-8-21				1304733863 1304733864	17123			<u>P</u>	
WV 16W-12-8-21					17123			<u>P</u>	ļ
VV 1W-15-8-21				304733865	17123			<u>P</u>	
VV 1W-13-8-21 VV 1W-22-8-21				304733902	17123			S	
VV 1W-22-8-21 VV 1W-23-8-21				304733903	17123	Federal		<u>S</u>	
VV 6W-11-8-21				304733904	17123			P	
VV 7W-24-8-21				304733906	17123			P	
7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	24 (	JAUS   2	210E 4	304733908	17123	Federal	$\mathbf{G}\mathbf{W}$	P	i

well_name	sec	twp	rng	api	entity	mineral	type	stat	C
		1				lease	type	Stat	
WV 10W-11-8-21	11	080S	210E	4304733910	17123	Federal	GW	P	-
WV 11W-15-8-21	15	080S		4304733911	17123	Federal		P	
WV 13W-11-8-21	11	080S		4304733913	17123	Federal	GW	S	-
WV 13W-15-8-21	15	080S	h	4304733914	17123	Federal	GW	P	
WV 15W-10-8-21	10	080S		4304733916	17123	Federal	GW	P	
WV 15W-15-8-21	15			4304733917	17123	Federal	GW	P	
WV 5W-14-8-21	14	080S		4304733953	17123	Federal	GW	P	
WV 7W-14-8-21	14	+		4304733955	17123	Federal	GW	P	-
WV 8W-11-8-21	11			4304733957	17123	Federal	GW	S	
WV 8W-14-8-21	14	080S		4304733958	17123	Federal	GW	P	
WV 9W-15-8-21	15			4304733959	17123	Federal		P	
WV 12W-13-8-21	13	080S		4304733961	17123	Federal	GW	P	-
WV 14W-13-8-21	13	080S		4304733962	17123	Federal	GW	P	-
WV 15W-14-8-21	14			4304733963	17123	Federal		P	-
WV 2W-18-8-22	18			4304733986	17123	Federal	GW		-
WV 8W-18-8-22	18			4304733989	17123		GW	P	
WV 10W-18-8-22	18			4304733989	17123	Federal	GW	P	
WV 12W-18-8-22	18			4304733991				P	-
WV 14W-18-8-22	18			4304733995	17123		GW	S	
WV 8W-1-8-21	01			4304733993	17123	Federal	GW	P	
WV 4W-17-8-22	17			4304734009	17123	Federal	GW	OPS	C
WV 12G-1-8-21	01			4304734038 4304734108	17123	Federal	GW	P	
WV 2W-14-8-21	14			4304734108	5265	Federal	OW	TA	
GH 2W-21-8-21	21			4304734140	17123	Federal	GW	P	
WV 2W-23-8-21	23			4304734141	17123	Federal	<del> </del>	P	ļ
WV 3W-21-8-21	21				17123	Federal		P	
WV 4W-13-8-21	13			4304734143	17123	Federal		P	
WV 4W-21-8-21	21			4304734144 4304734145	17123	Federal		P	-
WV 4W-22-8-21					17123	Federal		P	
WV 16W-11-8-21				4304734146 4304734155	17123			P	
WV 3W-19-8-22					5265			<u>P</u>	
WV 4W-23-8-21				4304734187 4304734188	17123	Federal		P	
WV 6W-23-8-21				4304734188 4304734189	17123			P	
WV 2W-15-8-21					17123			<u>S</u>	
WV 2W 13-0-21 WV 2W-22-8-21				4304734242 4304734243	17123	Federal		<u>P</u>	
WV 4W-14-8-21				4304734243 4304734244	17123			P	-
WV 6W-12-8-21				4304734244 4304734245	17123			S	
WV 7W-15-8-21	***************************************			+304734245 4304734246	5265			TA	
WV 8W-15-8-21					17123			P	
WV 12W-12-8-21				4304734247	17123			<u>P</u>	ļ
WV 12W-12-8-21 WV 14W-15-8-21				4304734248	17123			TA	ļ
WV 14W-13-8-21 WV 16W-10-8-21				4304734249 4304734250	17123			P	
WV 16W-10-8-21 WV 16W-15-8-21				1304734250	17123			P	
WV 3W-13-8-21				1304734251	17123			P	
WV 4D-12-8-21				1304734267	17123			OPS	С
WV 4D-12-8-21 WV 6W-14-8-21				1304734268	17123			OPS	С
Y 77 7 77 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7				1304734271	17123			S	
				1304734274	17123			OPS	С
WV 10W-14-8-21				1304734275	17123			P	
WV 11W-14-8-21	14	080S   3	210E	304734277	17123	Federal	GW	P	

well_name	sec	twp	rng	api	entity	mineral	type	stat	С
						lease			
WV 12W-14-8-21	14			4304734279	17123	Federal	GW	TA	
WV 14M-11-8-21	11	080S		4304734280	17123	Federal	GW	P	
WV 14W-14-8-21	14			4304734281	17123	Federal	GW	S	
WV 16G-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P	
WV 3MU-15-8-21	15	080S	210E	4304734289	17123	Federal	GW	P	
WV 4MU-15-8-21	15	080S	210E	4304734291	17123	Federal	GW	P	
WV 5MU-15-8-21	15	080S	210E	4304734293	17123	Federal	GW	P	
WV 6W-15-8-21	15	080S	210E	4304734294	17123	Federal	GW	P	
WV 10W-15-8-21	15	080S	210E	4304734295	17123	Federal	GW	P	
WV 4W-24-8-21	24	080S	210E	4304734330	17123	Federal	GW	P	
WV 8M-23-8-21	23	080S	210E	4304734339	17123	Federal	GW	P	
WV 8W-24-8-21	24	080S	210E	4304734340	17123	Federal	GW	P	
WV 2W-8-8-22	08	080S	220E	4304734468	17123	Federal	GW	P	
WV 8W-7-8-22	07	080S	220E	4304734469	17123	Federal	GW	S	<u> </u>
WV 8W-22-8-21	22	080S	210E	4304734564	17123	Federal	GW	P	1
WV 14MU-10-8-21	10	080S	210E	4304735879	17123	Federal	GW	P	
WV 13MU-10-8-21	10			4304736305	17123	Federal	GW	P	
WV 3D-13-8-21	13			4304737923	17123	Federal	GW	OPS	C
WV 14DML-12-8-21	12			4304737924	17123	Federal	GW	P	<del> </del>
WV 15AML-12-8-21	12			4304737925	17123	Federal	GW	OPS	C
WV 13DML-10-8-21	10			4304737926	17123	Federal	GW	P	
WV 4DML-15-8-21	15			4304737927	17123	Federal	GW	P	<u> </u>
WV 11AD-14-8-21	14			4304738049	17123	Federal	GW	P	
WV 6-24-8-21	24			4304738663	17123	Federal	GW	P	-
WV 2ML-24-8-21	24			4304738664		Federal	GW	APD	C
WV 16C-14-8-21	14			4304738737	17123	Federal	GW	P	
WV 7BML-24-8-21	24			4304738970			GW	APD	C
WV 7AML-12-8-21	12			4304739035		Federal	GW	APD	C
WV 14BML-12-8-21				4304739036		Federal	GW	APD	C
WV 14B-13-8-21				4304739037		Federal	GW	APD	C
WV 4B-14-8-21				4304739038			GW	APD	$\frac{c}{c}$
WV 13A-15-8-21				4304739039	17123	Federal		P	
WV 8D-15-8-21				4304739040	17123	Federal		P	<del>                                     </del>
WV 4BD-23-8-21				4304739041		Federal			<del> </del>
WV 7CML-11-8-21				4304739042		Federal		APD	С
WV 7BD-23-8-21				4304739044	17123		GW	P	
WV 2CML-7-8-22				4304739155	1,123	~	GW	APD	C
WV 13AD-8-8-22R(RIGSKID)				4304739321	17123		GW	P	<del> </del>
WV 2B-22-8-21				4304740262	11123	***************************************	GW	APD	C
WV 8D-22-8-21				4304740263			GW	APD	C
WV 7A-24-8-21				4304740331			GW	APD	C



## United States Department of the Interior



BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov/ut/st/en.html

IN REPLY REFER TO: 3100 (UT-922)

JUL 2 8 2010

Memorandum

To:

Vernal Field Office, Price Field Office, Moab Field Office Roja L Bankert

From:

Chief, Branch of Minerals

Subject:

Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from Questar Exploration and Production Company into QEP Energy Company is effective June 8, 2010.

cc:

MMS **UDOGM** 

AUG 16 2010

DIV. OF OIL, GPS with the